



LIST PRICE BOOK

June 2, 2025



Ask for Quality ▲ Ask for AMTROL®



Value Added Freight Programs

Part of the Amtrol Advantage™

Amtrol has a variety of unique and flexible freight programs designed to fit the way you do business. With a low \$6,000 Full Freight Allowed (FFA) policy ordering from Amtrol has never been easier.

\$6,000 Full Freight Allowed (FFA): Any Mix of Products

- Any order attaining \$6,000 Net qualifies for FFA shipment.
- Combine Residential and Commercial products.
- Program applies to Wholesale customers for models in the US List Price Book.
- AK, HI destinations receive freight to the nearest port within the 48 contiguous states.
- Requests for partial shipments below \$6,000 are subject to prepay and add.

Pallet Freight Program

- Full pallet quantities of Therm-X-Trol® ST-5 (75 ea.) and ST-12 (48 ea.), Therm-X-Span® T-5 (75 ea.) and T-12 (48 ea.) EX-15PRO (75 ea.) and EX-30PRO (48 ea.), and Extrol® EX-15 (75 ea.) and EX-30 (48 ea.).
- Orders received by 12:00 PM EST ship FFA at lead time, within the 48 contiguous states.

Terms and Conditions

- All pricing and information contained within the Amtrol 2025 List Price Book is subject to Amtrol's Terms and Conditions. To access a complete copy of the Terms and Conditions, please visit www.amtrol.com.

Standard Leadtimes: Orders May Ship Early Unless Specified

- Standard leadtime is in working days.
- \$35,000 orders and above require a minimum 10-day standard leadtime.
- Longest model standard leadtime applies to entire order.
- Larger orders may be subject to longer leadtimes

All dimensions and weights listed are approximate.



Contents

RESIDENTIAL PRODUCTS

Air Purgers, Vents & Valves.....	13
AIR PURGERS	13
AIR VENTS.....	13
MIXING VALVES	13
TANK SERVICE CHECK VALVE	13
Expansion Tanks - Hydronic.....	12-13
EX-PRO MODELS: EXTROL® PRO NEXT GENERATION HYDRONIC EXPANSION TANKS, 7-Year Warranty	12
EX MODELS: EXTROL® INLINE BOILER SYSTEM EXPANSION TANKS, 7-Year Warranty	12
EX PACKAGES: EXTROL COMBINATION KITS, 7-Year Warranty	12
FT MODELS: FILL-TROL® TANKS AND AUTOMATIC FILL VALVES, 7-Year Warranty..	12
FT PACKAGES: FILL-TROL COMBINATION KITS, 7-Year Warranty	12
SX MODELS: EXTROL VERTICAL BOILER SYSTEM EXPANSION TANKS, 1-Year Warranty	12
Expansion Tanks - Water Heater	10
ST MODELS: THERM-X-TROL® INLINE THERMAL EXPANSION TANKS, 7-Year Warranty	10
ST MODELS: THERM-X-TROL VERTICAL THERMAL EXPANSION TANKS	10
T MODELS: THERM-X-SPAN® INLINE THERMAL EXPANSION TANKS, 1-Year Warranty	10
Hot Water Makers®.....	14-15
INDIREX™ INDIRECT-FIRED WATER HEATERS.....	14
HYDROMAX® INDIRECT-FIRED WATER HEATERS	14
BOILERMATE® INDIRECT-FIRED WATER HEATERS.....	14
PREMIER™ INDIRECT-FIRED WATER HEATERS	14
HOT WATER MAKER REPLACEMENT PARTS	15
Pressure Boosters.....	9
Reverse Osmosis Storage Tanks	7
RO MODELS: REVERSE OSMOSIS STORAGE TANKS	7
Tube Straps & Hangers	11
Water Hammer Arrestors	10
WATER HAMMER ARRESTORS (SHOCK SUPPRESSORS)	10
Well Tank Controls & Accessories.....	8
DIGITAL PRESSURE CONTROL	8
DURABASE® TANK SPACER.....	8
PUMP MOUNTING STAND	8
TOUCH-UP PAINT	8
Well Tanks, 125 PSI, 5-Year Warranty	6-7
CH MODELS: CHAMPION® VERTICAL STAND, DARK BLUE.....	6
WF MODELS: WEL-FLO® VERTICAL STAND, LIGHT GRAY	6
PL MODELS: PRO-LINE® VERTICAL STAND, TAN	7
Well-X1® System Well Tank & Digital Control	6
WX1 MODELS: READY-TO-RUN WITH GUARDIAN CP® DIGITAL PRESSURE CONTROL	6
Well-X-Trol® Well Tanks, 150 PSI, 7-Year Warranty	4-6
WX MODELS: VERTICAL STAND.....	4
WX MODELS: VERTICAL STAND WITH PRO ACCESS®	4
WX MODELS: HORIZONTAL WITH PUMP STAND	5
WX MODELS: INLINE.....	5
WX MODELS: VERTICAL WITH DURABASE® COMPOSITE STAND.....	5
WX MODELS: UNDERGROUND WITH SPECIAL UG COATING	6

COMMERCIAL PRODUCTS

Air & Dirt Separators & Inline Air Purgers	22
AIR & DIRT SEPARATORS, ASME.....	22
INLINE AIR PURGERS	22
Air Separators	20
TANGENTIAL AIR SEPARATORS, LESS STRAINER, ASME	20
Air Separators & Purgers.....	21
TANGENTIAL AIR SEPARATORS, WITH STRAINER, ASME	21
Air Vents & Plain Steel Tanks	23
AC MODELS: PLAIN STEEL COMPRESSION TANKS, ASME	23
HIGH CAPACITY AIR VENT	23
Chilled Water Buffer Tanks	24
CWBT MODELS: CHILLED WATER BUFFER TANKS, ASME	24
Commercial Accessories	34
REPLACEMENT BLADDERS	34
Extrol® Bladder Tanks	18-19
L MODELS: FULL ACCEPTANCE BLADDER, TOP CONNECTION, ASME.....	18
LBC MODELS: PARTIAL ACCEPTANCE BLADDER, BOTTOM CONNECTION, ASME 19	
Extrol® Diaphragm Tanks.....	16-17
AX MODELS: DEEP DRAWN DIAPHRAGM TYPE, ASME	16
AX MODELS: HEAD & SHELL DIAPHRAGM TYPE, ASME.....	16
AX-V MODELS: DEEP DRAWN DIAPHRAGM TYPE, ASME.....	17
AX-V MODELS: HEAD & SHELL DIAPHRAGM TYPE, ASME	17
Fire Protection Products.....	32
FPT MODELS: FIRE-X-TROL® SPRINKLER SYSTEM EXPANSION TANKS, 175 PSI, ASME	32
SPT MODELS: SURGE-TROL® SPRINKLER SYSTEM SURGE SUPPRESSORS, 275 PSI, ASME.....	32
Hot Water Buffer Tanks	25
HWBT MODELS: HOT WATER BUFFER TANKS, ASME	25
Shock Suppressors & Commercial Accessories.....	33
D MODELS: DIATROL® SHOCK SUPPRESSORS, 250 PSI, ASME.....	33
Therm-X-Trol® Bladder Tanks	27-28
ST-C Models: Full Acceptance Bladder, ASME.....	27
ST-CL Models: Partial Acceptance Bladder, ASME.....	28
Therm-X-Trol® Diaphragm Tanks	26
ST MODELS: DEEP DRAWN, DIAPHRAGM TYPE, ASME.....	26
ST MODELS: HEAD & SHELL, DIAPHRAGM TYPE, ASME	26
Well-X-Trol® Bladder Tanks	30-31
WX-C Models: Full Acceptance Bladder, ASME	30
WX-CL Models: Partial Acceptance Bladder, ASME	31
Well-X-Trol® Diaphragm Tanks.....	29
WX-C MODELS: DEEP DRAWN, DIAPHRAGM TYPE, ASME	29
WX-C MODELS: HEAD & SHELL, DIAPHRAGM TYPE, ASME.....	29
Warranty	35


Letters A-K denote product categories.

Prices and contents are subject to change without notice.

Visit www.amtrol.com to download the most current version of the List Price Book.

WX MODELS: VERTICAL STAND


A



Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Factor	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
WX-201	BLUE	399579	14	0.81	15	15	25	25	644411	5	\$701.00
WX-202	BLUE	399585	20	0.57	15	15	32	32	644442	5	\$862.00
WX-202XL	BLUE	399598	26	0.44	15	15	39	39	644503	5	\$909.00
WX-203	BLUE	399607	32	0.35	15	15	47	47	644572	5	\$1,470.00
WX-205	BLUE	399616	34	1.00	22	22	30	57	644657	5	\$1,608.00
WX-250	BLUE	399625	44	0.77	22	22	36	65	644718	5	\$1,864.00
WX-251	BLUE	399635	62	0.55	22	22	47	87	644770	5	\$2,204.00
WX-255	BLUE	399646	81	0.41	22	22	57	109	644862	5	\$2,370.00
WX-302	BLUE	399655	86	0.54	26	26	47	106	644947	5	\$2,617.00
WX-350	BLUE	399664	119	0.39	26	26	62	146	645005	5	\$3,727.00
WX-201-T	TAN	399584	14	0.81	15	15	25	25	645081	5	\$701.00
WX-202-T	TAN	399596	20	0.57	15	15	32	32	644459	5	\$862.00
WX-202XL-T	TAN	399606	26	0.44	15	15	39	39	644510	5	\$909.00
WX-203-T	TAN	399615	32	0.35	15	15	47	47	644589	5	\$1,470.00
WX-205-T	TAN	399624	34	1.00	22	22	30	57	644664	5	\$1,608.00
WX-250-T	TAN	399633	44	0.77	22	22	36	65	644725	5	\$1,864.00
WX-251-T	TAN	399643	62	0.55	22	22	47	87	644787	5	\$2,204.00
WX-255-T	TAN	399654	81	0.41	22	22	57	109	644879	5	\$2,370.00
WX-302-T	TAN	399663	86	0.54	26	26	47	106	644954	5	\$2,617.00
WX-350-T	TAN	399672	119	0.39	26	26	62	146	645012	5	\$3,727.00
WX-201-G	GRAY	399583	14	0.81	15	15	25	25	650634	5	\$701.00
WX-202-G	GRAY	399590	20	0.57	15	15	32	32	646132	5	\$862.00
WX-202XL-G	GRAY	399602	26	0.44	15	15	39	39	646149	5	\$909.00
WX-203-G	GRAY	399611	32	0.35	15	15	47	47	646156	5	\$1,470.00
WX-205-G	GRAY	399620	34	1.00	22	22	30	57	646163	5	\$1,608.00
WX-250-G	GRAY	399629	44	0.77	22	22	36	65	646170	5	\$1,864.00
WX-251-G	GRAY	399639	62	0.55	22	22	47	87	646187	5	\$2,204.00
WX-255-G	GRAY	399650	81	0.41	22	22	57	109	646194	5	\$2,370.00
WX-302-G	GRAY	399659	86	0.54	26	26	47	106	646200	5	\$2,617.00
WX-350-G	GRAY	399668	119	0.39	26	26	62	146	646217	5	\$3,727.00


WX MODELS: VERTICAL STAND WITH PRO ACCESS®

A




WX-202PA	BLUE	399592	20	0.57	15	15	32	33	644473	5	\$948.00
WX-202XLPA	BLUE	399603	26	0.44	15	15	39	40	644541	5	\$994.00
WX-203PA	BLUE	399612	32	0.35	15	15	47	48	644602	5	\$1,553.00
WX-205PA	BLUE	399621	34	1.00	22	22	30	59	644688	5	\$1,761.00
WX-250PA	BLUE	399630	44	0.77	22	22	36	67	644749	5	\$2,016.00
WX-251PA	BLUE	399640	62	0.55	22	22	47	88	644800	5	\$2,357.00
WX-255PA	BLUE	399651	81	0.41	22	22	57	111	644893	5	\$2,521.00
WX-302PA	BLUE	399660	86	0.54	26	26	47	108	644978	5	\$2,768.00
WX-350PA	BLUE	399669	119	0.39	26	26	62	148	645036	5	\$3,878.00
WX-202PA-T	TAN	399594	20	0.57	15	15	32	33	644480	5	\$948.00
WX-202XLPA-T	TAN	399605	26	0.44	15	15	39	40	644558	5	\$994.00
WX-203PA-T	TAN	399614	32	0.35	15	15	47	48	644619	5	\$1,553.00
WX-205PA-T	TAN	399623	34	1.00	22	22	30	59	644695	5	\$1,761.00
WX-250PA-T	TAN	399632	44	0.77	22	22	36	67	644756	5	\$2,016.00
WX-251PA-T	TAN	399642	62	0.55	22	22	47	88	644817	5	\$2,357.00
WX-255PA-T	TAN	399653	81	0.41	22	22	57	111	644909	5	\$2,521.00
WX-302PA-T	TAN	399662	86	0.54	26	26	47	108	644985	5	\$2,768.00
WX-350PA-T	TAN	400808	119	0.39	26	26	62	148	645043	5	\$3,878.00
WX-202PA-G	GRAY	399593	20	0.57	15	15	32	33	646224	5	\$948.00
WX-202XLPA-G	GRAY	399604	26	0.44	15	15	39	40	646231	5	\$994.00
WX-203PA-G	GRAY	399613	32	0.35	15	15	47	48	646248	5	\$1,553.00
WX-205PA-G	GRAY	399622	34	1.00	22	22	30	59	646255	5	\$1,761.00
WX-250PA-G	GRAY	399631	44	0.77	22	22	36	67	646262	5	\$2,016.00
WX-251PA-G	GRAY	399641	62	0.55	22	22	47	88	646279	5	\$2,357.00
WX-255PA-G	GRAY	399652	81	0.41	22	22	57	111	646286	5	\$2,521.00
WX-302PA-G	GRAY	399661	86	0.54	26	26	47	108	646293	5	\$2,768.00
WX-350PA-G	GRAY	399670	119	0.39	26	26	62	148	646309	5	\$3,878.00

WX MODELS: VERTICAL WITH DURABASE® COMPOSITE STAND

A



Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Factor	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
WX-201D	BLUE	399580	14	0.81	15	15	25	25	645159	5	\$786.00
WX-202D	BLUE	399587	20	0.57	15	15	32	32	645173	5	\$948.00
WX-202XLD	BLUE	399599	26	0.44	15	15	39	39	645210	5	\$994.00
WX-203D	BLUE	399608	32	0.35	15	15	47	47	645241	5	\$1,553.00
WX-205D	BLUE	399617	34	1.00	22	22	30	57	645289	5	\$1,761.00
WX-250D	BLUE	399626	44	0.77	22	22	36	65	645319	5	\$2,016.00
WX-251D	BLUE	399636	62	0.55	22	22	47	87	645340	5	\$2,357.00
WX-255D	BLUE	399647	81	0.41	22	22	57	109	645371	5	\$2,521.00
WX-302D	BLUE	399656	86	0.54	26	26	47	106	645418	5	\$2,768.00
WX-350D	BLUE	399665	119	0.39	26	26	62	146	645449	5	\$3,878.00
WX-201D-T	TAN	399582	14	0.81	15	15	25	25	645166	5	\$786.00
WX-202D-T	TAN	399589	20	0.57	15	15	32	32	645197	5	\$948.00
WX-202XLD-T	TAN	N/A	26	0.44	15	15	39	39	645227	5	\$994.00
WX-203D-T	TAN	399610	32	0.35	15	15	47	47	645258	5	\$1,553.00
WX-205D-T	TAN	399619	34	1.00	22	22	30	57	645296	5	\$1,761.00
WX-250D-T	TAN	399628	44	0.77	22	22	36	65	645326	5	\$2,016.00
WX-251D-T	TAN	399638	62	0.55	22	22	47	87	645357	5	\$2,357.00
WX-255D-T	TAN	399649	81	0.41	22	22	57	109	645388	5	\$2,521.00
WX-302D-T	TAN	399658	86	0.54	26	26	47	106	645425	5	\$2,768.00
WX-350D-T	TAN	399667	119	0.39	26	26	62	146	645456	5	\$3,878.00
WX-201D-G	GRAY	399581	14	0.81	15	15	25	25	648686	5	\$786.00
WX-202D-G	GRAY	399588	20	0.57	15	15	32	32	648693	5	\$948.00
WX-202XLD-G	GRAY	399600	26	0.44	15	15	39	39	648709	5	\$994.00
WX-203D-G	GRAY	399609	32	0.35	15	15	47	47	648716	5	\$1,553.00
WX-205D-G	GRAY	399618	34	1.00	22	22	30	57	648723	5	\$1,761.00
WX-250D-G	GRAY	399627	44	0.77	22	22	36	65	648730	5	\$2,016.00
WX-251D-G	GRAY	399637	62	0.55	22	22	47	87	648747	5	\$2,357.00
WX-255D-G	GRAY	399648	81	0.41	22	22	57	109	648754	5	\$2,521.00
WX-302D-G	GRAY	399657	86	0.54	26	26	47	106	648761	5	\$2,768.00
WX-350D-G	GRAY	399666	119	0.39	26	26	62	146	648778	5	\$3,878.00

WX MODELS: INLINE

A


WX-101	BLUE	399557	2.0	0.45	8	8	13	5	644053	5	\$220.00
WX-102	BLUE	399559	4.4	0.55	11	11	15	9	644084	5	\$304.00
WX-103	BLUE	399565	6.7	0.40	11	11	20	13	644114	5	\$493.00
WX-104	BLUE	399568	10.3	1.00	15	15	18	20	644145	5	\$550.00
WX-200	BLUE	399575	14.0	0.81	15	15	22	22	644169	5	\$582.00

WX MODELS: HORIZONTAL WITH PUMP STAND


A


WX-102PS	BLUE	399561	4.4	0.55	15	11	12	13	644190	5	\$457.00
WX-110PS	BLUE	399571	7.4	0.56	23	11	12	18	649102	5	\$602.00
WX-200PS	BLUE	399577	14.0	0.81	22	15	16	29	644268	5	\$1,046.00
WX-202PS	BLUE	399595	20.0	0.57	30	15	16	35	649119	5	\$1,312.00
WX-202H	BLUE*	399591	20.0	0.57	30	15	16	33	644299	5	\$925.00

*W/O PUMP STAND

WX MODELS: UNDERGROUND WITH SPECIAL UG COATING

A




Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Factor	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
WX-200UG		399578	14	0.81	15	15	23	22	644312	10	\$891.00
WX-202UG		399597	20	0.57	15	15	30	30	644336	10	\$1,284.00
WX-250UG		399634	44	0.77	22	22	33	60	644367	10	\$2,491.00
WX-251UG		399644	62	0.55	22	22	44	83	644381	10	\$2,960.00

Well-X1® System Well Tank & Digital Control

WX1 MODELS: READY-TO-RUN WITH GUARDIAN CP® DIGITAL PRESSURE CONTROL

A



WX1-250D	BLUE	399572	44	0.77	22	22	44	80	650238	10	\$2,907.00
WX1-251D	BLUE	399573	62	0.55	22	22	55	103	650221	10	\$3,247.00
WX1-302D	BLUE	399574	86	0.54	26	26	55	134	650214	10	\$3,663.00



NSF Certified to NSF/ANSI 61



Pallet Quantity:

WX-101: 75, WX-102: 48, WX-103: 32, WX-104 & WX-200: 18

WX-102-PS: 32, WX-110PS: 32, WX-200-PS: 18, WX-202PS: 18

WX-200UG & WX-202UG: 18, WX-250UG & WX-251UG: 4

WX-201 and WX-202: 18, WX-202XL & WX-203: 9, WX-205 through WX-350: 4

Connection:

Stainless Steel: WX-101 through WX-103, WX-102PS through WX-110PS: 3/4" NPTM, WX-104, WX-200, WX-200PS,

WX-202PS and WX-202H: 1" NPTM, WX-200UG, WX-202UG and WX-201 through WX-203: 1" NPTF,

WX-205 through WX-350, WX250UG and WX-251UG: 1-1/4" NPTF

Factory Precharge:

All WX and WX1 Models: 38 PSI

Working Pressure:

All WX and WX1 Models: 150 PSI


Warranty:

All WX Models: 7-Year Limited; WX1: 7-Year Limited (Tank), 2-Year Limited (Control).

Well Tanks, 125 PSI, 5-Year Warranty

CH MODELS: CHAMPION® VERTICAL STAND, DARK BLUE


A



Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Factor	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
CH-14	CH3001	399346	14	0.81	15	15	25	24	530295	10	\$643.00
CH-20	CH4202	399348	20	0.57	15	15	32	30	529329	10	\$837.00
CH-26	CH6000	399351	26	0.44	15	15	39	37	550798	10	\$889.00
CH-32	CH8003	399352	32	0.35	15	15	47	43	530318	10	\$1,431.00
CH-34	CH8205	399355	34	1.00	22	22	30	50	530332	10	\$1,567.00
CH-44	CH10050	399332	44	0.77	22	22	36	57	530257	10	\$1,810.00
CH-62	CH12051	399335	62	0.55	22	22	47	75	530264	10	\$2,134.00
CH-81	CH17255	399340	81	0.41	22	22	57	92	550705	10	\$2,297.00
CH-86	CH17002	399336	86	0.54	26	26	47	99	530271	10	\$2,539.00
CH-119	CH22050	399343	119	0.39	26	26	62	133	530288	10	\$3,617.00

WF MODELS: WEL-FLO® VERTICAL STAND, LIGHT GRAY


A



WF-14	WF45	399495	14	0.81	15	15	25	24	406736	10	\$643.00
WF-20	WF60	399497	20	0.57	15	15	32	30	406767	10	\$837.00
WF-26	WF80	399499	26	0.44	15	15	39	37	550828	10	\$889.00
WF-32	WF100	399479	32	0.35	15	15	47	43	406620	10	\$1,431.00
WF-34	WF110	399481	34	1.00	22	22	30	50	406637	10	\$1,567.00
WF-44	WF140	399483	44	0.77	22	22	36	57	406651	10	\$1,810.00
WF-62	WF200	399485	62	0.55	22	22	47	75	406675	10	\$2,134.00
WF-81	WF255	399489	81	0.41	22	22	57	92	550675	10	\$2,297.00
WF-86	WF260	399491	86	0.54	26	26	47	99	406699	10	\$2,539.00
WF-119	WF360	399493	119	0.39	26	26	62	133	406705	10	\$3,617.00

PL MODELS: PRO-LINE® VERTICAL STAND, TAN

A

Model Number	Part Number	Volume (Gal)	Max Acceptance Factor	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
				L	W	H				
	PL-14	399325	14	0.81	15	15	25	22	409935	\$643.00
	PL-20	399326	20	0.57	15	15	32	28	409942	\$837.00
	PL-26	399328	26	0.44	15	15	39	34	550804	\$889.00
	PL-32	399329	32	0.35	15	15	47	40	409959	\$1,431.00
	PL-34	399330	34	1.00	22	22	30	50	400024	\$1,567.00
	PL-44	399319	44	0.77	22	22	36	57	399984	\$1,810.00
	PL-62	399320	62	0.55	22	22	47	75	399991	\$2,134.00
	PL-81	399323	81	0.41	22	22	57	92	550712	\$2,297.00
	PL-86	399321 (SHORT)	86	0.54	26	26	47	99	660008	\$2,539.00
	PL-119	399324	119	0.39	26	26	62	133	400017	\$3,617.00





Pallet Quantity: 14 & 20 Gal: 18, 26 & 32 Gal: 9, 34 through 119 Gal: 4
Connection: Stainless Steel: 14 through 32 Gal: 1" NPTF, 34 through 119 Gal: 1-1/4" NPTF
Factory Precharge: All CH, WF & PL Models: 38 PSI
Working Pressure: CH, WF & PL: 125 PSI
Warranty: All CH, WF & PL Models: 5-Year Limited

Reverse Osmosis Storage Tanks

RO MODELS: REVERSE OSMOSIS STORAGE TANKS

A

Model Number	Color	Part Number	PSI	Other	Total Volume (Gal)	Connection Size (In)	Shipping Weight (Lbs)	UPC 642031	Standard Leadtime* (Days)	List Price (USD)
 RO-2 THROUGH RO-10	RO-4	BLUE	390757	5 PSI	PLASTIC STAND	4	1/4	9	462862	\$437.00
	RO-4	WHITE	390758	5 PSI	PLASTIC STAND	4	1/4	9	462879	\$437.00
	RO-10	BLUE	398933	5 PSI	PLASTIC STAND	10	3/4	20	129116	\$831.00
	RO-14	BLUE	398935	15 PSI	SHORT STAND	14	3/4	24	129710	\$890.00
	RO-14	BLUE	398937	15 PSI	STEEL STAND	14	1/4	24	391490	\$890.00
	RO-20PA	BLUE	398955	15 PSI	PRO ACCESS® CONN	20	3/4	32	563026	\$1,075.00
	RO-20	BLUE	398948	15 PSI	STEEL STAND	20	3/4	32	130716	\$1,003.00
	RO-34PA	BLUE	391340	15 PSI	PRO ACCESS CONN	34	1-1/4	61	563033	\$2,012.00
	RO-34	BLUE	391372	15 PSI	STEEL STAND	34	1-1/4	61	138293	\$1,883.00
	RO-44PA	BLUE	391341	15 PSI	PRO ACCESS CONN	44	1-1/4	86	563040	\$2,175.00
	RO-44	BLUE	391374	15 PSI	STEEL STAND	44	1-1/4	86	138422	\$2,013.00
 RO-14 (398935)	RO-86PA	BLUE	391579	15 PSI	PRO ACCESS CONN	86	1-1/4	123	563057	\$3,258.00
	RO-86	BLUE	391575	15 PSI	STEEL STAND	86	1-1/4	123	139931	\$3,055.00
	RO-119PA**	BLUE	391617	15 PSI	PRO ACCESS CONN	119	1-1/4	166	563064	\$4,643.00

*Order quantities over 100 each require a 30 day lead time
 ** RO-119PA Not NSF Listed



COMPONENT

Pallet Quantity: RO-2: 75, RO-4: 48, RO-10 through 20: 18, RO-34 through 119: 4
Connection: Stainless Steel
Warranty: 5-Year Limited



Well Tank Controls & Accessories

DIGITAL PRESSURE CONTROL

Part Number	Description	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
		L	W	H				
398987	GUARDIAN CP®	4	8	4	2	639889	5	\$420.00



DURABASE® TANK SPACER

437409	FITS AMTROL 15" STEEL STAND MODELS	16	16	6	2	648433	5	\$39.30
397530	FITS AMTROL 22" & 26" STEEL STAND MODELS	23	23	7	3	648440	5	\$65.50



PUMP MOUNTING STAND

398096	UNIVERSAL VERTICAL TANKS	8	10	3	3	049708018405	5	\$94.50
--------	--------------------------	---	----	---	---	--------------	---	---------




TOUCH-UP PAINT

390457	WELL-X-TROL® BLUE 4.5 OZ SPRAY	2	2	4	1	121486	5	\$52.00
--------	--------------------------------	---	---	---	---	--------	---	---------

Warranty: Guardian CP: 2-Year Limited, All Well Tank Accessories: 1-Year Limited

RP MODELS: AMTROL PRESSURISER® CITY WATER PRESSURE BOOSTER SYSTEMS

D



Part Number	Model Number/Description	Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
			L	W	H				
392907	RP-10HP / 10 GPM SYSTEM	14	17	17	30	50	574732	10	\$2,844.00
392908	RP-15HP / 15 GPM SYSTEM	20	17	17	38	55	574886	10	\$3,050.00
392906	RP-25HP / 25 GPM SYSTEM	34	22	22	39	90	499295	10	\$4,479.00

HP SERIES BOOSTER SYSTEM REPLACEMENT PARTS

I

392917	245-59 / PUMP RP-10HP	23	593467	5	\$2,032.00
392918	245-60 / PUMP RP-15HP	23	593474	5	\$2,032.00
392919	245-61 / PUMP RP-25HP	23	593481	5	\$2,032.00
392915	2201R37 / TANK RP-10, 14 Gal	25	618634	5	\$1,387.00
392916	2201R39 / TANK RP-15, 20 Gal	33	618658	5	\$1,440.00
392914	2201R28 / TANK RP-25, 34 Gal	61	618719	5	\$1,899.00
399919	2201N002 / SHAFT SEAL KIT - All Models	1	447371	5	\$67.70
399920	2201N003 / IMPELLER RP-10	1	447418	5	\$227.00
399921	2201N020 / IMPELLER RP-15	1	447425	5	\$196.00
399922	2201N021 / IMPELLER RP-25	1	447432	5	\$212.00
392912	2201N006 / O-RING REBUILD KIT - All Models	1	447401	5	\$166.00
392913	2201N010 / PUMP VENTURI - All Models	1	466655	5	\$148.00
399923	2201N022 / PUMP GUIDE VANE - All Models	1	447449	5	\$129.00
398987	146-832 / GUARDIAN CP DIGITAL PRESSURE CONTROL	2	639899	5	\$420.00




Pallet Quantity:
Connection:
Warranty:

RP-10HP through RP-25HP: 4
Stainless Steel: RP-10HP through RP-25HP: 1-1/4" NPTF In, 1" NPTF Out
RP-10HP through RP-25HP: 2-Year Limited, Guardian CP: 2-Year Limited, All Replacement Parts: 1 Year Limited

ST MODELS: THERM-X-TROL® INLINE THERMAL EXPANSION TANKS, 7-Year Warranty


B

Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
	ST-1 MATTE TAN	398917	—	—	3.4	3.4	4	1	679932	10	\$51.60
	ST-5 HIGH-GLOSS TAN	390570	2.0	0.9	8	8	13	5	395665	5	\$130.00
	ST-12 HIGH-GLOSS TAN	390748	4.4	3.2	11	11	15	9	395672	5	\$175.00




ST MODELS: THERM-X-TROL VERTICAL THERMAL EXPANSION TANKS, 1-Year Warranty

B

	ST-25V TAN	390935	10.3	10.3	15	15	19	23	395689	5	\$549.00
	ST-30V TAN	390936	14.0	11.3	15	15	24	25	395696	5	\$673.00
	ST-42V TAN	391061	20.0	11.4	15	15	32	33	395702	5	\$801.00
	ST-60V TAN	391429	34.0	34.0	22	22	30	61	395719	5	\$1,035.00
	ST-80V TAN	391430	44.0	33.9	22	22	36	69	395726	5	\$1,421.00
	ST-180V TAN	391479	62.0	34.1	22	22	47	92	395733	5	\$1,712.00
	ST-200V TAN	391503	81.0	33.2	22	22	56	103	633552	5	\$1,807.00
	ST-210V TAN	391607	86.0	46.4	26	26	47	123	395740	5	\$1,944.00

T MODELS: THERM-X-SPAN® INLINE THERMAL EXPANSION TANKS, 1-Year Warranty


B

	T-5 LIGHT PRIMER TAN	390517	2.0	0.9	8	8	13	5	548498	5	\$79.60
	T-12 LIGHT PRIMER TAN	390654	4.4	3.2	11	11	15	9	560889	5	\$101.00

Water Hammer Arrestors

WATER HAMMER ARRESTORS (SHOCK SUPPRESSORS)

K

Model Number	Description	Part Number	Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
				L	W	H				
	537-1 DIATROL® #537	394640	0.8	6	6	9	3	202932	10	\$240.00
	541-1 DIATROL® #541	394645	1.0	6	6	12	5	203564	10	\$356.00



Pallet Quantity:

ST-5 & T-5: 75, ST-12 & T-12: 48

Connection:

ST-25V, 30V & 42V: 18, ST-60V through ST-210V: 4

ST-1: 1/2" NPTM w/Stainless Steel Waterway; Stainless Steel: ST-5 through ST-12 & T-5 through T-12: 3/4" NPTM, ST-25V through ST-42V: 3/4" NPTF, ST-60V through ST-210V: 1-1/4" NPTF, Diatrol®: Stainless Steel NPTM; 537: 3/4"; 541: 1"

Warranty:

ST-1 through ST-12: 7-Year Limited, ST-25V through ST-210V: 1-Year Limited, T-5 & T-12: 1-Year Limited, Diatrol®: 5-Year Limited

Maximum Operating Temp: ST-1: 140°F Intermittent; ST-5 through ST-210V: 200°F; Therm-X-Span and Diatrol: 200°F.

Maximum Working Pressure: 150 PSI

TUBE HANGERS: 601 SERIES



Model Number	Description	Part Number	Case Qty		Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
601-1	1/2" DIAMETER	394656	10	Sold in full	1	208897	5	\$38.80
601-2	3/4" DIAMETER	394657	10	case quantities	1	208934	5	\$48.90
601-3	1" DIAMETER	394658	10	only	1	208941	5	\$55.80
601-4	1-1/4" DIAMETER	394659	10		1	208958	5	\$66.10

NATICK STRAP HANGERS: 603 SERIES, 6" LENGTH



603-1	1/2" DIAMETER	394670	25	Sold in full	2	209474	5	\$83.30
603-3	3/4" DIAMETER	394672	25	case quantities	2	209641	5	\$84.20
603-5	1" DIAMETER	394674	25	only	3	209726	5	\$84.70

NATICK STRAP HANGERS: 603 SERIES, 12" LENGTH



603-2	1/2" DIAMETER	394671	25	Sold in full	3	209542	5	\$104.00
603-4	3/4" DIAMETER	394673	25	case quantities	4	209719	5	\$104.00
603-6	1" DIAMETER	394675	25	only	4	209825	5	\$105.00

GLIDE CLIPS: 604 SERIES




604-1	1/2" DIAMETER	394678	10	Sold in full	1	210234	5	\$42.70
604-2	3/4" DIAMETER	394679	10	case quantities	1	210241	5	\$46.00
604-3	1" DIAMETER	394680	10	only	1	210258	5	\$57.30

VAN HANGERS: 606 SERIES



606-2	1/2" DIAMETER	394682	20	Sold in full	2	210494	5	\$66.10
606-3	3/4" DIAMETER	394683	20	case quantities	2	210500	5	\$70.90
606-4	1" DIAMETER	394684	20	only	2	210517	5	\$77.80

TUBE STRAPS: 608 SERIES



608-4	1/2" DIAMETER	394685	100	Sold in full	2	210760	5	\$40.30
608-6	3/4" DIAMETER	394686	50	case quantities	1	210777	5	\$27.00
608-7	1" DIAMETER	394687	50	only	2	210784	5	\$28.70


Hardware: Strap Hangers, Glide Clips & Tube Straps include copper-clad nails.
Tube Hangers & Van Hangers include copper-clad wood screws.

Warranty: 1-Year Limited

EX-PRO MODELS: EXTROL® PRO NEXT GENERATION HYDRONIC EXPANSION TANKS, 7-YEAR WARRANTY

B


Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
EX-15PRO	MODEL #15 PRO	435339	2.0	1.0	8	8	13	5	353397	5	\$124.00
EX-30PRO	MODEL #30 PRO	435340	4.4	2.7	11	11	15	9	353403	5	\$154.00
EX-60PRO	MODEL #60 PRO	435341	6.7	2.7	11	11	20	13	353410	5	\$281.00



EX MODELS: EXTROL® INLINE BOILER SYSTEM EXPANSION TANKS, 7-YEAR WARRANTY

B


EX-15	MODEL #15	389695	2.0	1.0	8	8	13	5	112743	5	\$99.20
EX-30	MODEL #30	389710	4.4	2.5	11	11	15	9	113061	5	\$123.00
EX-60	MODEL #60	389732	6.7	2.7	11	11	20	13	113221	5	\$225.00
EX-90	MODEL #90	389802	14.0	11.3	15	15	21	23	115287	5	\$373.00



SX MODELS: EXTROL VERTICAL BOILER SYSTEM EXPANSION TANKS, 1-YEAR WARRANTY

B


SX-30V	STAND MODEL	390310	14	11.3	15	15	24	27	118967	5	\$472.00
SX-40V	STAND MODEL	390317	20	11.3	15	15	32	35	119896	5	\$504.00
SX-60V	STAND MODEL	390321	32	11.3	15	15	48	46	119902	5	\$706.00
SX-90V	STAND MODEL	390297	44	34.0	22	22	36	69	118714	5	\$1,286.00
SX-110V	STAND MODEL	390298	62	34.0	22	22	47	92	118721	5	\$1,512.00
SX-130V	STAND MODEL	391502	81	34.0	22	22	56	103	633583	5	\$1,560.00
SX-160V	STAND MODEL	390299	86	46.0	26	26	47	123	118738	5	\$1,607.00



EX PACKAGES: EXTROL COMBINATION KITS, 7-YEAR WARRANTY

B


EX-1500-100	EX-15 WITH 1" PURGER & VENT	389744	2.0	1.0	8	8	15	10	113382	5	\$175.00
EX-1500-125	EX-15 WITH 1-1/4" PURGER & VENT	389747	2.0	1.0	8	8	15	10	113412	5	\$175.00
EX-3000-100	EX-30 WITH 1" PURGER & VENT	389751	4.4	2.5	11	11	19	14	113504	5	\$196.00
EX-3000-125	EX-30 WITH 1-1/4" PURGER & VENT	389752	4.4	2.5	11	11	19	14	113528	5	\$196.00




FT MODELS: FILL-TROL® TANKS AND AUTOMATIC FILL VALVES, 7-YEAR WARRANTY

B

FT-109	FILL-TROL TANK & VALVE	389767	2.0	1.0	8	8	15	6	114198	5	\$183.00
FT-110	FILL-TROL TANK & VALVE	389780	4.4	2.5	11	11	17	10	114525	5	\$212.00
FT-111	FILL-TROL TANK & VALVE	389789	7.4	2.5	11	11	25	15	114914	5	\$324.00
FT-112	FILL-TROL TANK & VALVE	389803	14.0	11.3	15	15	23	24	115300	5	\$427.00
FT-15	FILL-TROL TANK ONLY	389769	2.0	1.0	8	8	13	5	114310	5	\$121.00
FT-30	FILL-TROL TANK ONLY	389778	4.4	2.5	11	11	15	9	114488	5	\$147.00
FT-109-15	FILL-TROL VALVE ONLY	389770	-	-	-	-	-	1	370143	5	\$93.00



FT PACKAGES: FILL-TROL COMBINATION KITS, 7-YEAR WARRANTY
B


FT-109-100	FT-109 WITH 1" PURGER & VENT	389774	2.0	1.0	8	8	19	10	114433	5	\$250.00
FT-109-125	FT-109 WITH 1-1/4" PURGER & VENT	389768	2.0	1.0	8	8	19	10	114204	5	\$250.00
FT-110-100	FT-110 WITH 1" PURGER & VENT	389782	4.4	2.5	11	11	23	14	114600	5	\$278.00
FT-110-125	FT-110 WITH 1-1/4" PURGER & VENT	389781	4.4	2.5	11	11	23	14	114532	5	\$278.00
FT-111-125	FT-111 WITH 1-1/4" PURGER & VENT	389790	7.4	2.5	11	11	31	18	114938	5	\$387.00



Pallet Quantity:	EX-15PRO: 75, EX-30PRO: 48, EX-60PRO: 32, Combination Packages: Same as base model EX-15: 75, EX-30: 48, EX-60: 32, EX-90: 18, Combination Packages: Same as base model SX-30V & SX-40V: 18, SX-60V: 9, SX-90V through SX-110V: 4
Connection:	Stainless Steel: EX-15PRO through EX-60PRO; 1/2" NPTM, Steel: EX-15 through EX-90: 1/2" NPTM, SX-30V through SX-60V: 1" NPTF, SX-90V through SX-160V: 1-1/4" NPTF, Brass: FT Models: 1/2" NPTF
Warranty:	EX-PRO, EX, FT Models: 7-Year Limited, SX Models: 1-Year Limited


Maximum Operating Temp: Extrol Pro: 200° F, Extrol, Fill-Trol: 240° F; Continuous 225° F
Maximum Working Pressure: EX-PRO: 125 PSI; Extrol, Fill-Trol: 100 PSI

Air Purgers, Vents & Valves
AIR VENTS
C


Model Number	Description	Part Number	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
			L	W	H				
700-QC	FLOAT VENT, 1/8" QUICK-CHANGE	394697	2	2	4	0.5	591982	5	\$23.90
701-C	FLOAT VENT, 1/4" CONNECTION	394698	2	2	4	0.5	389473	5	\$23.90
700-C	FLOAT VENT, 1/8" CONNECTION	394695	2	2	4	0.5	389466	5	\$21.40

AIR PURGERS
C


443-1	CAST AIR PURGER 1"	393989	6	3	4	4	193117	5	\$47.40
444-1	CAST AIR PURGER 1-1/4"	399678	6	3	4	4	193148	5	\$47.40
445-1	CAST AIR PURGER 1-1/2"	393993	8	4	5	9	193186	5	\$107.00
446-1	CAST AIR PURGER 2"	393994	8	4	5	10	193223	5	\$118.00
447-1	CAST AIR PURGER 2-1/2"	393995	10	5	6	19	193254	5	\$282.00
448-1	CAST AIR PURGER 3"	393996	10	5	6	20	193261	5	\$339.00

TANK SERVICE CHECK VALVE
C


140-470	SERVICE CHECK, 1/2" QUICK CHANGE	399673	1	1	1	0.1	603487	5	\$22.90
---------	----------------------------------	--------	---	---	---	-----	--------	---	---------


MIXING VALVES
C


420-1	1/2" DOMESTIC WATER 110-170F	393986	2	2	4	1	190819	5	\$186.00
421-1	3/4" DOMESTIC WATER 110-170F	393988	2	2	4	1	190888	5	\$204.00
420-6	REPLACEMENT CARTRIDGE	393987	-	-	-	1	190826	5	\$61.70

Case Qty:	Air Vents: 24, 443 & 444 Purgers:12
Purges Vent Tpng:	443 through 445: 1/8" NPT, 446: 1/2" NPT, 447 & 448: 3/4" NPT
Purges Exp Tpng:	443 through 448: 1/2" NPT
Warranty:	1-Year Limited

INDIREX™ INDIRECT-FIRED WATER HEATERS

G



IDX MODELS

Model Number	Part Number	Coil	Control	Color	Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 001404	Standard Leadtime (Days)	List Price (USD)
						L	W	H				
IDX-40SS	443794	120MBH TOP	DIGITAL	BLACK	40	23	23	39	94	5437943	10	\$2,668.00
IDX-50SS	444033	140MBH TOP	DIGITAL	BLACK	50	23	23	47	123	5440332	10	\$3,026.00
IDX-80SS	444170	180MBH TOP	DIGITAL	BLACK	80	23	23	65	143	5441704	10	\$4,039.00

HYDROMAX® INDIRECT-FIRED WATER HEATERS

G




HM MODELS

Model Number	Part Number	Coil	Control	Color	Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
						L	W	H				
HM-41Z	399265	140MBH TOP	MECHANICAL	BLACK	41	22	22	55	124	653000	5	\$2,793.00
HM-41L	399264	140MBH TOP	ENER-G-NET™	BLACK	41	22	22	55	124	654168	5	\$2,986.00
HM-80Z	399263	140MBH TOP	MECHANICAL	BLACK	80	26	26	62	180	654007	5	\$3,776.00
HM-80L	399262	140MBH TOP	ENER-G-NET	BLACK	80	26	26	62	180	654199	5	\$3,971.00

BOILERMATE® INDIRECT-FIRED WATER HEATERS

G




CH MODELS

CH-41Z-B	399087	100MBH TOP	MECHANICAL	BLUE	41	22	22	48	124	632951	10	\$2,532.00
CH-41Z-R	399082	100MBH TOP	MECHANICAL	RED	41	22	22	48	124	632937	10	\$2,532.00
CH-41Z-G	399085	100MBH TOP	MECHANICAL	GRAY	41	22	22	48	124	630773	10	\$2,532.00
CH-41ZCT-B	399092	100MBH TOP	CONSTANT TEMP	BLUE	41	22	22	51	127	637376	15	\$3,269.00
CH-41ZCT-R	399090	100MBH TOP	CONSTANT TEMP	RED	41	22	22	51	127	638243	15	\$3,269.00
CH-41ZCT-G	399091	100MBH TOP	CONSTANT TEMP	GRAY	41	22	22	51	127	638236	15	\$3,269.00
CH-80Z-B	399078	100MBH TOP	MECHANICAL	BLUE	80	26	26	49	180	636324	10	\$3,611.00
CH-80Z-R	399076	100MBH TOP	MECHANICAL	RED	80	26	26	49	180	636300	10	\$3,611.00
CH-80Z-G	399077	100MBH TOP	MECHANICAL	GRAY	80	26	26	49	180	635969	10	\$3,611.00

PREMIER™ INDIRECT-FIRED WATER HEATERS

G



WHS MODELS

WHS-60Z	399220	140MBH BOTTOM	MECHANICAL	Stainless	60	26	26	54	160	557506	10	\$4,760
WHS-60L	399218	140MBH BOTTOM	DIGITAL	Stainless	60	26	26	54	160	557483	10	\$4,989
WHS-80Z	399225	140MBH BOTTOM	MECHANICAL	Stainless	80	26	26	66	170	557551	10	\$5,286
WHS-80L	399223	140MBH BOTTOM	DIGITAL	Stainless	80	26	26	66	170	557537	10	\$5,296
WHS-120Z	399230	140MBH BOTTOM	MECHANICAL	Stainless	120	30	30	71	200	557605	10	\$6,909
WHS-120L	399228	140MBH BOTTOM	DIGITAL	Stainless	120	30	30	71	200	557599	10	\$7,139

HOT WATER MAKER REPLACEMENT PARTS

I

CONTROLS

2704-093	393232	AQUASTAT: RESIDENTIAL 150F, ALL EXC WH-10	MECHANICAL	390028	5	\$219.00
2775-454	393513	AQUASTAT: COMMERCIAL 180F, ALL EXC WH-10	MECHANICAL	519658	5	\$295.00
940R101	396411	DIGITAL CONTROL REPLACEMENT & UPGRADE, WH, TD & WHS	DIGITAL	654144	5	\$530.00
2704-259	393281	DIGITAL TEMPERATURE SENSOR ONLY (THERMISTOR)	DIGITAL	432650	5	\$68.20
2704-392	393290	AQUASTAT RETROFIT KIT, WH	MECHANICAL	466846	5	\$439.00
2704-487	393314	AQUASTAT RETROFIT KIT W/RELAY, WH	MECHANICAL	611888	5	\$502.00
2704-529	393332	UNIVERSAL 10K DIGITAL TEMP SENSOR KIT	DIGITAL	651044	5	\$71.40
2722R02	444770	IDX REPL. KIT, TEMPERATURE CONTROL	DIGITAL		5	\$90.00

HEAT EXCHANGER COILS

2703R003	393200	CH-41 MODELS		641762	5	\$1,348.00
2702R002	393169	CH-80 MODELS		659934	5	\$1,411.00
2775R808	431262	WHS MODELS (EXCEPT C & DW)		312622	5	\$1,946.00
2713R002	393465	HM-41 MODELS		659958	5	\$1,720.00
2712R002	393448	HM-80 MODELS		659941	5	\$1,797.00

MISC PARTS

2700-924	393070	AQUASTAT DRY WELL		166357	5	\$105.00
2500-218	392923	HEAT EXCHANGER COIL GASKET, 8 BOLT		160768	5	\$13.60
2500-178	392922	WH TOP OUTLET O-RING		160690	5	\$1.80
2700-635	393053	WH TOP OUTLET UNION TEE PACKAGE		164438	5	\$140.00
9313-0095	402930	DRAIN VALVE ASSEMBLY, ALL CH & HM		671271	5	\$128.00
2700R1106	393107	T&P RELIEF VALVE, RESIDENTIAL		643896	5	\$61.50
2704R512	393381	TOP COVER HALF, HM-41 & HM-80		677372	5	\$66.40
2722R01	444771	IDX REPL. KIT, AQUASTAT THERMWELL			5	\$48.00



Pallet Quantity:

All Models: 4

Warranty:

HM Models: 7-Years with Limited Lifetime upgrade option in carton
CH & WH Models: 6-Years with Limited Lifetime upgrade option in carton
IDX Models: 10-Years with Limited Lifetime upgrade option in carton
WHS, DC & S Models: 10-Year Limited (Residential), 5-Year Limited (Commercial)

Hardware:

All models include T&P relief and drain valves

- For use in non-potable closed hydronic and chilled water systems.
- Fixed diaphragm construction.
- Available in Horizontal and Vertical configurations.
- Deep Drawn models are lighter, stronger and more compact than traditional head and shell construction.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 240° F.

How to Order: Specify Model & Options


AX-80-125SGR

- Step 1: Select Base Model Number
Step 2: Choose Pressure Rating
Step 3: Specify Sight Glass Option (or leave blank)
Step 4: Specify Restraint Option (or leave blank)

AX-80 (Horizontal) 125 PSI Rating with Sight Glass & Restraints

AX MODELS: DEEP DRAWN DIAPHRAGM TYPE, ASME

J



TECHNICAL DATA


Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Length (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-10-DD	6.4	3.2	12	18	9	10	NA	NA	NA
AX-15-DD	8.6	3.2	12	22	22	24	NA	NA	NA
AX-20-DD	16.5	11.3	15	25	44	46	NA	NA	NA
AX-40-DD	23.0	11.3	15	33	64	66	NA	NA	NA

PRICING: DEEP DRAWN DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-10-DD	416836 / \$2,305	401797 / \$2,535	NA	NA	NA
AX-15-DD	416837 / \$2,414	401798 / \$2,655	NA	NA	NA
AX-20-DD	416839 / \$2,454	401803 / \$2,696	NA	NA	NA
AX-40-DD	416841 / \$3,448	416070 / \$3,789	NA	NA	NA

AX MODELS: HEAD & SHELL DIAPHRAGM TYPE, ASME

J



TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A-Diameter (In)	B-Length (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15	8.0	2.4	12	19	NA	NA	48	55	59
AX-20	10.9	2.4	12	26	NA	NA	60	69	74
AX-40	21.7	11.3	16	29	NA	NA	96	111	118
AX-60	33.6	11.3	16	43	96	120	125	144	154
AX-80	44.4	22.6	24	29	153	160	200	230	245
AX-100	55.7	22.6	24	33	174	180	227	261	279
AX-120	68.0	34.0	24	41	204	245	266	306	327
AX-144	77.0	34.0	24	46	218	250	285	327	350
AX-180	90.0	34.0	24	54	232	265	301	348	372
AX-200	110.0	34.0	24	64	269	320	350	404	430
AX-240	132.0	46.0	30	51	401	403	522	602	642
AX-260	159.0	56.0	30	62	455	460	572	683	728
AX-280	211.0	84.0	30	80	580	600	755	870	930

PRICING: HEAD & SHELL DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15	NA	NA	411429 / \$2,793	390134 / \$3,072	\$3,383
AX-20	NA	NA	424867 / \$2,839	\$3,123	\$3,438
AX-40	NA	NA	409432 / \$3,992	435803 / \$4,392	\$4,829
AX-60	427434 / \$3,624	438668 / \$3,987	117-554 / \$4,387	\$4,825	\$5,311
AX-80	440058 / \$4,598	437093 / \$5,061	\$5,565	\$6,123	\$6,735
AX-100	439992 / \$4,757	440000 / \$5,231	\$5,755	\$6,333	\$6,960
AX-120	439311 / \$5,021	390020 / \$5,524	442406 / \$5,924	\$6,681	\$7,319
AX-144	439496 / \$5,484	\$6,031	\$6,638	\$7,306	\$8,023
AX-180	439530 / \$5,793	390024 / \$6,370	\$7,000	\$7,704	\$8,487
AX-200	439884 / \$6,188	390027 / \$6,801	389995 / \$7,492	\$8,235	\$9,046
AX-240	389967 / \$7,079	390030 / \$7,784	\$8,567	\$9,444	\$10,374
AX-260	389974 / \$9,697	425212 / \$10,652	\$11,715	\$12,897	\$14,179
AX-280	389978 / \$11,768	426387 / \$12,937	390147 / \$13,256	\$15,641	\$17,235

Additional Options: Add to Base Model List Price
Sight Glass (SG): \$506
Restraints (Saddles) (R): AX-15 & 20: \$225, AX-40 & 60: \$344, AX-80 through 200: \$520, AX-240 through 280: \$692

Standard Leadtime: AX-10-DD and AX-15-DD 125 PSI: Up to 5 units - 5 Days; Over 5 units - 10 Days

Connection: All other models 125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days
Malleable Iron: AX-15 through AX-60: 1/2", AX-10-DD through AX-40-DD: 3/4", AX-80 through AX-240: 1", AX-260 & AX-280: 1-1/4", AX-10-DD through AX-40-DD: NPTM, Center, AX-15 through AX-100: NPTF, Center, AX-120 through AX-240: NPTM, Center, AX-260 & AX-280: NPTM, Offset

Factory Precharge: All models: 12 PSI

Warranty: 3-Year Limited ★

www.amtrol.com

Effective June 2, 2025

APPLICATIONS & ORDERING

- For use in non-potable closed hydronic and chilled water systems.
- Fixed diaphragm construction.
- Available in Horizontal and Vertical configurations.
- Deep Drawn models are lighter, stronger and more compact than traditional head and shell construction.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 240° F.


How to Order: Specify Model & Options

AX-120V-150

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

AX-120V (Vertical) 150 PSI Rating (No Sight Glass and Restraints)

AX-V MODELS: DEEP DRAWN DIAPHRAGM TYPE, ASME



AX-15V-DD THROUGH AX-40V-DD


TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A-Diameter (In)	B-Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15V-DD	8.6	3.2	12	22	24	26	NA	NA	NA
AX-20V-DD	16.5	11.3	15	25	46	48	NA	NA	NA
AX-40V-DD	23.0	11.3	15	33	66	68	NA	NA	NA


PRICING: DEEP DRAWN DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15V-DD	416838 / \$2,415	401799 / \$2,657	NA	NA	NA
AX-20V-DD	416840 / \$2,454	415253 / \$2,696	NA	NA	NA
AX-40V-DD	416842 / \$3,448	401804 / \$3,789	NA	NA	NA


AX-V MODELS: HEAD & SHELL DIAPHRAGM TYPE, ASME



AX-15V THROUGH AX-100V



AX-120V THROUGH AX-240V



AX-260V & AX-280V

TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A-Diameter (In)	B-Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15V	8.0	2.4	12	20	NA	NA	49	59	62
AX-20V	10.9	2.4	12	27	NA	NA	61	71	75
AX-40V	21.7	11.3	16	30	NA	NA	99	114	122
AX-60V	33.6	11.3	16	45	98	103	127	147	157
AX-80V	44.4	22.6	24	29	155	167	201	233	248
AX-100V	55.7	22.6	24	34	176	187	229	264	282
AX-120V	68.0	34.0	24	47	214	255	278	321	342
AX-144V	77.0	34.0	24	52	230	267	299	345	368
AX-180V	90.0	34.0	24	60	271	275	352	407	434
AX-200V	110.0	34.0	24	66	290	358	377	435	464
AX-240V	132.0	46.0	30	58	401	403	521	602	642
AX-260V	159.0	56.0	30	65	460	467	598	690	736
AX-280V	211.0	84.0	30	82	590	605	767	885	945

PRICING: HEAD & SHELL DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15V	NA	NA	389999 / \$2,794	390081 / \$3,073	390107 / \$3,384
AX-20V	NA	NA	389997 / \$2,839	390097 / \$3,123	\$3,438
AX-40V	NA	NA	389998 / \$3,992	390146 / \$4,392	390137 / \$4,829
AX-60V	427436 / \$3,624	438669 / \$3,987	389869 / \$4,387	390112 / \$4,825	440883 / \$5,311
AX-80V	435434 / \$4,625	440049 / \$5,087	390109 / \$5,595	413401 / \$6,155	\$6,775
AX-100V	439993 / \$4,767	440043 / \$5,242	421614 / \$5,767	424957 / \$6,344	390080 / \$6,987
AX-120V	439312 / \$5,727	390021 / \$6,304	390133 / \$6,933	\$7,610	443043 / \$8,407
AX-144V	439497 / \$6,104	390023 / \$6,721	447012 / \$7,385	389905 / \$8,142	390110 / \$8,952
AX-180V	439531 / \$6,933	390026 / \$7,610	390091 / \$8,407	\$9,218	\$10,148
AX-200V	439885 / \$7,093	390029 / \$7,810	400764 / \$8,581	\$9,457	\$10,387
AX-240V	389955 / \$8,169	390031 / \$8,966	426297 / \$9,855	\$10,838	409488 / \$11,941
AX-260V	389975 / \$9,855	390034 / \$10,838	424338 / \$11,954	417542 / \$13,137	\$14,445
AX-280V	389979 / \$12,166	390037 / \$13,382	390101 / \$14,711	420524 / \$16,172	\$17,799

Additional Options:	Add to Base Model List Price
Sight Glass (SG):	\$506
Seismic Restraints (R):	\$356

Standard Leadtime:	AX-15V-DD 125 PSI: Up to 5 units - 5 Days; Over 5 units - 10 Days All other models 125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days
Connection (NPT):	Malleable Iron: AX-15V through AX-60V: 1/2", AX-15V-DD through AX-40V-DD: 3/4" AX-80V through AX-240V: 1", AX-260V & AX-280V: 1-1/4" AX-15V-DD through AX-40V-DD: NPTM, Center, AX-15V through AX-100V: NPTF, Center AX-120V through AX-240V: NPTF, Bottom, AX-260V & AX-280V: NPTM, Offset
Factory Precharge:	All models: 12 PSI
Warranty:	3-Year Limited ★

www.amtrol.com


APPLICATIONS & ORDERING

- For use in non-potable closed hydronic and chilled water systems.
- Replaceable bladder construction.
- Available in Full Acceptance versions.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 240° F.

How to Order: Specify Model & Options

800-L-175SGR

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)




800-L 175 PSI Rating with Sight Glass & Restraints

L MODELS: FULL ACCEPTANCE BLADDER, TOP CONNECTION, ASME

J

TECHNICAL DATA



Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
200-L	53	53	24	38	190	205	250	290	297
300-L	80	80	24	52	230	292	320	385	372
400-L	106	106	24	66	275	343	375	465	595
500-L	132	132	24	79	311	372	435	545	750
600-L	158	158	30	64	439	510	595	720	810
800-L	211	211	30	82	543	565	620	905	950
1000-L	264	264	36	74	609	750	750	1,015	1,065
1200-L	317	317	36	86	700	860	860	1,175	1,235
1400-L	370	370	36	98	783	970	970	1,335	1,400
1600-L	422	422	48	69	1,106	1,425	1,615	1,916	2,015
2000-L	528	528	48	84	1,284	1,675	2,386	2,410	2,651
2500-L	660	660	48	101	1,544	1,945	2,411	2,585	2,715
3000-L	792	792	48	118	1,719	2,225	2,500	2,950	3,100
3500-L	925	925	54	111	2,187	2,375	2,620	3,660	3,780
4000-L	1,057	1,057	54	125	2,352	2,640	3,000	4,080	4,285
5000-L	1,321	1,321	60	128	2,450	3,740	4,100	4,200	5,200
7500-L	1,980	1,980	72	127	4,000	4,300	4,500	5,550	6,750
10000-L	2,640	2,640	72	159	4,900	5,300	5,500	6,800	11,000
15000-L	3,963	3,963	72	233	6,000	7,600	7,900	9,800	12,500

200-L THROUGH 15000-L

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
200-L	392691 / \$7,504	390045 / \$8,713	392690 / \$9,923	392689 / \$11,423	439782 / \$13,123
300-L	392746 / \$8,023	390046 / \$9,244	392747 / \$10,626	409501 / \$12,206	392759 / \$14,047
400-L	392772 / \$8,541	390047 / \$9,815	392773 / \$11,303	408366 / \$12,991	438314 / \$14,943
500-L	392800 / \$8,966	390048 / \$10,294	392799 / \$11,848	408367 / \$13,614	194-37 / \$15,673
600-L	391797 / \$12,632	390049 / \$14,545	414110 / \$16,736	425741 / \$19,260	446741 / \$22,115
800-L	391828 / \$13,715	390050 / \$15,773	391829 / \$18,198	391830 / \$20,888	391834 / \$24,042
1000-L	391854 / \$15,773	390051 / \$18,231	391855 / \$20,954	447010 / \$24,075	415236 / \$27,661
1200-L	391874 / \$16,869	390052 / \$19,360	441411 / \$22,315	391873 / \$25,636	177-33 / \$29,487
1400-L	391888 / \$18,032	390053 / \$20,721	391889 / \$23,842	391890 / \$27,396	426905 / \$31,514
1600-L	391913 / \$25,935	390054 / \$29,886	179-22 / \$34,335	391915 / \$39,450	441996 / \$45,426
2000-L	391969 / \$28,159	390055 / \$32,343	391970 / \$37,158	435802 / \$42,770	392004 / \$49,211
2500-L	391976 / \$32,443	390056 / \$37,457	426901 / \$42,969	391985 / \$49,411	435329 / \$56,783
3000-L	391977 / \$41,267	390057 / \$47,352	180-39 / \$54,524	391986 / \$62,693	418904 / \$72,057
3500-L	392643 / \$50,042	390058 / \$57,547	\$66,180	391987 / \$76,109	180-78 / \$87,665
4000-L	392646 / \$58,211	400946 / \$68,604	426900 / \$76,906	180-46 / \$88,595	418905 / \$101,877
5000-L	392651 / \$76,839	117-940 / \$88,461	391997 / \$101,544	189-7 / \$116,820	180-129 / \$134,419
7500-L	392649 / \$135,615	390015 / \$156,070	433361 / \$179,181	392660 / \$206,278	447132 / \$237,225
10000-L	392665 / \$155,539	117-941 / \$178,650	180-57 / \$205,613	180-58 / \$236,429	392008 / \$271,760
15000-L	392644 / \$206,543	117-475 / \$237,359	391995 / \$273,088	180-60 / \$313,998	180-83 / \$361,018

Additional Options:	Add to Base Model List Price
Sight Glass (SG):	\$506
Seismic Restraints (R):	\$356


Standard Leadtime:	200-L through 4000-L: 125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days 5000-L: 125,150 & 175 PSI: 30 Days, 250 & 300 PSI: 60 Days, 7500-L through 15000-L: All pressures: 60 Days
Connection (NPTF):	Malleable Iron: 200-L through 500-L: 1", 600-L through 2000-L: 1-1/2", 2500-L through 5000-L: 2", 7500-L through 15000-L: 3"
Factory Precharge:	All models: 12 PSI
Warranty:	3-Year Limited ★

APPLICATIONS & ORDERING

- For use in non-potable closed hydronic and chilled water systems.
- Replaceable bladder construction.
- Available in Partial Acceptance versions.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 240° F.

How to Order: Specify Model & Options

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)




130-LBC 125 PSI Rating with Restraints (No Sight Glass)

LBC MODELS: PARTIAL ACCEPTANCE BLADDER, BOTTOM CONNECTION, ASME

J

TECHNICAL DATA



Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
35-LBC	10	10	10	37	67	76	80	94	100
50-LBC	13	11	12	37	76	78	91	106	114
85-LBC	22	11	16	35	92	95	110	129	138
100-LBC	26	11	16	39	99	102	119	138	150
130-LBC	34	27	20	35	135	140	162	189	202
165-LBC	44	27	20	40	149	153	178	214	225
200-LBC	53	27	24	41	195	205	234	273	293
300-LBC	80	27	24	56	233	254	280	326	350
400-LBC	106	53	24	69	274	308	329	383	411
500-LBC	132	53	24	83	310	352	372	434	465
600-LBC	158	53	30	67	438	442	525	613	657

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
35-LBC	391655 / \$5,354	391645 / \$6,155	420170 / \$7,079	\$8,169	\$9,351
50-LBC	391685 / \$5,413	391675 / \$6,221	\$7,000	391682 / \$8,235	\$9,470
85-LBC	391715 / \$5,487	391705 / \$6,311	\$7,252	429346 / \$8,355	\$9,617
100-LBC	391732 / \$5,569	391728 / \$6,405	415770 / \$7,358	\$8,475	\$9,749
130-LBC	391746 / \$5,645	390038 / \$6,491	438017 / \$7,464	\$8,581	\$9,869
165-LBC	391760 / \$5,786	390039 / \$6,655	390120 / \$7,664	439414 / \$8,793	\$10,121
200-LBC	392697 / \$5,879	390040 / \$6,761	\$7,770	\$8,952	\$10,281
300-LBC	392752 / \$6,068	401106 / \$6,987	\$8,023	\$9,244	\$10,626
400-LBC	392778 / \$7,146	390042 / \$8,222	117-03 / \$9,470	\$10,865	\$12,499
500-LBC	392804 / \$7,704	390043 / \$8,846	\$10,201	422705 / \$11,715	\$13,482
600-LBC	391802 / \$9,617	390044 / \$11,064	\$12,725	\$14,644	\$16,869

Additional Options:	Add to Base Model List Price
Sight Glass (SG):	\$506
Seismic Restraints (R):	\$356

Standard Leadtime:	125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days
Connection (NPTF):	Malleable Iron: All LBC Models: 1"
Factory Precharge:	All models: 12 PSI
Warranty:	3-Year Limited ★

APPLICATIONS & ORDERING

- For use in non-potable closed hydronic and chilled water systems.
- Constructed to ASME Section VIII, Division 1.

How to Order: Specify Model & Options

6-ASL-125

Step 1: Select Base Model Number


Step 2: Choose Pressure Rating

6-Inch Air Separator Less Strainer, 125 PSI Rating

TANGENTIAL AIR SEPARATORS, LESS STRAINER, ASME


J

TECHNICAL DATA



Base Model Number	Connection Size (In)	A Width (In)	B Height (In)	Shipping Weight (Lbs)				
				125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
1-ASL	1	7	12	14	15	N/A	N/A	N/A
2-ASL	2	18	23	41	43	59	65	74
2 1/2-ASL	2-1/2	18	23	50	54	70	80	90
3-ASL	3	18	24	56	60	80	90	100
4-ASL	4	23	25	66	79	92	105	118
5-ASL	5	26	40	175	195	266	280	315
6-ASL	6	28	45	190	210	330	350	400
8-ASL	8	34	57	350	400	490	560	630
10-ASL	10	42	63	700	750	950	1,120	1,260
12-ASL	12	48	82	912	990	1,200	1,460	1,640
14-ASL	14	58	102	1,853	2,150	2,800	2,965	3,335
16-ASL	16	66	104	2,610	3,600	4,060	4,175	4,700
18-ASL	18	66	114	2,900	4,000	4,600	5,100	5,400
20-ASL	20	72	110	4,560	5,800	6,500	7,300	8,200
22-ASL	22	72	126	5,320	6,000	7,000	8,500	9,575
24-ASL	24	84	147	6,175	7,000	8,500	9,880	11,000

PRICING: ASME MODELS



Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
1-ASL	394020 / \$1,862	394022 / \$2,054	N/A	N/A	N/A
2-ASL	394035 / \$2,112	394032 / \$2,319	420402 / \$2,953	394034 / \$3,373	417958 / \$3,793
2 1/2-ASL	394051 / \$2,391	394046 / \$2,629	\$3,341	394049 / \$3,824	491-16 / \$4,296
3-ASL	394083 / \$2,884	394071 / \$3,172	394075 / \$4,043	492-32 / \$4,614	492-28 / \$5,201
4-ASL	394087 / \$3,363	394106 / \$3,697	430946 / \$4,715	394100 / \$5,384	394108 / \$6,059
5-ASL	394113 / \$3,984	394126 / \$4,384	394124 / \$5,572	494-17 / \$6,377	\$7,173
6-ASL	394155 / \$4,876	394149 / \$5,363	426899 / \$6,775	446736 / \$7,797	442216 / \$8,793
8-ASL	394186 / \$6,602	394176 / \$7,266	394170 / \$9,244	394169 / \$10,546	394178 / \$11,888
10-ASL	394212 / \$11,423	394201 / \$12,565	427352 / \$16,005	417525 / \$18,264	497-21 / \$20,588
12-ASL	394244 / \$13,176	394238 / \$14,512	413581 / \$18,430	392704 / \$21,086	392702 / \$23,676
14-ASL	394315 / \$22,448	394308 / \$24,639	432668 / \$31,413	499-66 / \$35,863	\$40,412
16-ASL	394288 / \$28,358	394309 / \$31,181	427299 / \$39,648	\$45,327	394389 / \$51,105
18-ASL	400789 / \$42,803	394310 / \$47,120	\$59,905	\$68,472	\$77,039
20-ASL	394290 / \$56,285	499-49 / \$61,930	\$78,832	437099 / \$90,122	\$101,346
22-ASL	499-55 / \$65,317	499-31 / \$71,859	\$91,450	\$104,400	\$117,417
24-ASL	394287 / \$74,979	442669 / \$82,418	\$104,998	\$119,942	\$134,818

Additional Options:

Standard Leadtime:

Connection:

Warranty:

Grooved Pipe Connectors (G): Available on models 2-ASL through 14-ASL. Consult factory for pricing.

1-ASL through 12-ASL 125 & 150 PSI: 20 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days,

14-ASL through 18-ASL: 30 Days, 20-ASL through 24-ASL: 60 Days.

Add 10 days to Standard Leadtime for Grooved Pipe Connectors (G).

125, 150, and 175 PSI: 150# flanges; 250 and 300 PSI: 300# flanges.

3-Year Limited ★

APPLICATIONS & ORDERING

- For use in non-potable closed hydronic and chilled water systems.
- Choose from Tangential (vortex) or Inline (air scoop) styles.
- Constructed to ASME Section VIII, Division 1.

How to Order: Specify Model & Options

6-AS-125

Step 1: Select Base Model Number



Step 2: Choose Pressure Rating

6-Inch Air Separator With Strainer, 125 PSI Rating

TANGENTIAL AIR SEPARATORS, WITH STRAINER, ASME

J

TECHNICAL DATA



Base Model Number	Connection Size (In)	A Width (In)	B Height (In)	Shipping Weight (Lbs)				
				125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
2-AS	2	18	23	45	47	63	72	81
2 1/2-AS	2-1/2	18	23	54	58	75	86	97
3-AS	3	18	24	60	64	84	96	108
4-AS	4	23	25	70	83	98	112	126
5-AS	5	26	40	200	220	280	320	360
6-AS	6	28	45	249	261	348	398	448
8-AS	8	34	57	375	445	525	600	675
10-AS	10	42	63	750	800	1,050	1,200	1,350
12-AS	12	48	82	950	1,060	1,330	1,520	1,710
14-AS	14	58	102	2,200	2,500	3,080	3,520	3,960
16-AS	16	66	104	3,000	3,900	4,200	4,800	5,400
18-AS	18	66	114	3,500	4,700	4,900	5,600	6,300
20-AS	20	72	110	5,000	6,100	7,000	8,000	9,000
22-AS	22	72	126	5,500	6,600	7,700	8,800	9,900
24-AS	24	84	147	7,000	8,400	9,800	11,200	12,600

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
2-AS	398301 / \$2,366	394031 / \$2,718	425823 / \$3,308	\$3,776	\$4,261
2 1/2-AS	394052 / \$2,616	394045 / \$3,007	428622 / \$3,656	\$4,179	\$4,701
3-AS	394084 / \$3,505	394070 / \$4,027	394074 / \$4,900	394073 / \$5,604	410882 / \$6,308
4-AS	394088 / \$3,793	394105 / \$4,362	400948 / \$5,304	422704 / \$6,075	\$6,827
5-AS	394114 / \$5,087	394125 / \$5,854	\$7,119	\$8,142	494-16 / \$9,165
6-AS	394156 / \$6,311	394148 / \$7,252	394142 / \$8,846	447045 / \$10,108	\$11,357
8-AS	394187 / \$8,142	394175 / \$9,378	394171 / \$11,409	424958 / \$13,031	496-36 / \$14,644
10-AS	394213 / \$13,880	394200 / \$15,973	394204 / \$19,426	497-20 / \$22,182	497-23 / \$25,005
12-AS	394245 / \$16,802	394237 / \$20,721	394240 / \$23,577	447011 / \$26,930	498-23 / \$30,252
14-AS	394320 / \$28,027	394303 / \$32,210	499-69 / \$39,218	499-71 / \$44,829	499-74 / \$50,407
16-AS	394282 / \$34,734	394304 / \$39,881	394318 / \$48,581	502-2 / \$55,521	502-1 / \$62,494
18-AS	394296 / \$53,462	394305 / \$61,465	503-3 / \$74,913	503-1 / \$85,539	499-73 / \$96,165
20-AS	499-29 / \$70,331	394306 / \$80,891	504-2 / \$98,490	499-70 / \$112,569	499-72 / \$126,583
22-AS	499-35 / \$101,013	499-54 / \$116,355	\$141,591	\$161,781	\$182,236
24-AS	499-40 / \$114,960	438608 / \$132,228	\$161,117	\$184,095	\$206,941

Additional Options:

Standard Leadtime:

Connection:

Warranty:

Grooved Pipe Connectors (G): Available on models 2-AS through 14-AS. Consult factory for pricing.

2-AS through 12-AS: 125 & 150 PSI: 20 Days, 175 PSI, 30 Days, 250 & 300 PSI: 40 Days,

14-AS through 18-AS: 30 Days, 20-AS through 24-AS: 60 Days.

Add 10 days to Standard Leadtime for Grooved Pipe Connectors (G).

125, 150, and 175 PSI: 150# flanges; 250 and 300 PSI: 300# flanges.

3-Year Limited ★

APPLICATIONS & ORDERING

- For use in closed, non-potable water systems.
- Eliminates entrained air and separates debris associated with start-up and maintenance of any hydronic system.
- Magnetic Separator option removes ferrous particles; includes dry well for ease of maintenance.
- Constructed to ASME Section VIII, Division 1.

How to Order: Specify Model & Options

4-ADS-125-M

Step 1: Select Base Model Number

Step 2: Choose Pressure Rating


Step 3: Magnetic Separator Option

4-inch Air & Dirt Separator, 125 PSI Rating with Magnetic Separator

AIR & DIRT SEPARATORS, ASME

J

TECHNICAL DATA



2-ADS THROUGH 12-ADS

Base Model Number	Connection Size (In)	A Width (In)	B Height (In)	Shipping Weight (Lbs)	
				125 PSI	150 PSI
2-ADS	2	15	23	60	65
3-ADS	3	20	29	92	97
4-ADS	4	21	29	102	110
5-ADS	5	28	42	144	154
6-ADS	6	28	42	149	159
8-ADS	8	34	49	258	270
10-ADS	10	38	64	384	395
12-ADS	12	43	75	533	550

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)	
	125 PSI	150 PSI
2-ADS	394539 / \$3,571	394540 / \$3,753
3-ADS	394541 / \$6,681	394545 / \$7,027
4-ADS	394542 / \$7,279	394547 / \$7,650
5-ADS	394543 / \$10,241	394549 / \$10,786
6-ADS	394544 / \$12,565	394550 / \$13,216
8-ADS	394546 / \$25,868	394551 / \$27,230
10-ADS	394548 / \$39,648	411423 / \$41,741
12-ADS	411428 / \$53,661	394559 / \$56,485
Magnetic Replacement Kit 2-ADS-4-ADS	427221 / \$1,594	
Magnetic Replacement Kit 5-ADS-12-ADS	427222 / \$1,993	


Additional Options: Grooved Pipe Connectors (G): Available on models 2-ADS through 12-ADS.
Magnetic Upgrade (M): 2-ADS through 4-ADS: \$991, 5-ADS through 12-ADS: \$1,353
Grooved Connections (G): Consult factory for pricing.

Standard Leadtime: 2-ADS through 12-ADS: 30 Days. Add 10 days to Standard Leadtime for Grooved Pipe Connectors (G).
Connection: 125 and 150 PSI: 150# flanges.
Warranty: 3-Year Limited ★

INLINE AIR PURGERS

J

- Eliminate air in closed hydronic or chilled water systems.




Model Number	Connection Size (In)	Shipping Weight (Lbs)		Part No. / List Price (USD)	
		125 PSI	150 PSI	125 PSI	150 PSI
449*	4	56	NA	393997 / \$846	NA
461*	5	NA	60	NA	393998 / \$3,132
462*	6	NA	65	NA	393999 / \$3,381
463*	8	NA	113	NA	394000 / \$4,524
464*	10	NA	174	NA	394001 / \$7,173
465*	12	NA	330	NA	394002 / \$8,581
466*	14	NA	500	NA	394004 / \$13,682
467	16	NA	231	NA	394006 / \$15,575
468	18	NA	573	NA	394009 / \$17,966

Standard Leadtime: 449 through 465: 10 Days, 466 through 468: 30 Days.
Warranty: 3-Year Limited ★

*150 PSI ANSI Flanges

Air Vents & Plain Steel Tanks

HIGH CAPACITY AIR VENT

J



Model Number	Part No. / Description	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)	List Price (USD)
747	390014 / High Capacity Vent	4	10	8	\$1,540
Repair Kit	390060 / Repair Kit & Gasket Assy			1	\$255

For venting air from closed hydronic or chilled water systems.

Standard Leadtime: Vent and Repair Kit: 10 Days

Warranty: 1-Year Limited

AC MODELS: PLAIN STEEL COMPRESSION TANKS, ASME

J


AC12-15 THROUGH AC36-505

PRICING: ASME MODELS

Model Number	Volume (Gal)	A-Diameter (In)	B-Length (In)	Shipping Weight (Lbs)		Part No. / List Price (USD)	
				125 PSIG	150 PSIG	125 PSIG	150 PSIG
AC12-15	15	12	33	NA	44	NA	392213 / 1,443
AC12-24	24	12	51	NA	62	NA	392214 / \$1,516
AC14-30	30	14	48	NA	72	NA	392215 / \$1,846
AC14-40	40	14	63	NA	92	NA	392216 / \$2,147
AC16-60	60	16	72	NA	120	NA	392217 / \$2,500
AC20-80	80	20	63	136	NA	392218 / \$2,506	NA
AC20-100	100	20	78	168	NA	392219 / \$3,743	NA
AC24-120	120	24	65	218	NA	392220 / \$4,676	NA
AC24-135	135	24	72	238	NA	392221 / \$4,821	NA
AC30-175	175	30	62	338	NA	392222 / \$7,199	NA
AC30-220	220	30	77	368	NA	400774 / \$8,447	NA
AC30-240	240	30	84	394	NA	183-8025 / \$8,607	NA
AC30-305	305	30	106	486	NA	392225 / \$9,018	NA
AC36-400	400	36	93	645	NA	183-8028 / \$9,391	NA
AC36-505	505	36	120	810	NA	392227 / \$10,294	NA

Maximum Operating Temperature: 450° F

For use in closed hydronic and chilled water systems.

Standard Leadtime: AC12-15 through AC30-305: 20 days. AC36-400 and AC36-505: 30 days.

Working Pressure: AC12-15 through AC16-60: 150 PSI. AC20-80 through AC36-505: 125 PSI.

Warranty: 3-Year Limited ★

APPLICATIONS & ORDERING

- For use in non-potable closed chilled water systems.
- Available with 3" to 12" connections.
- Constructed to ASME Section VIII, Division 1.

How to Order: Specify Model & Options

CWBT500-6-125 R


- Step 1: Select Base Model Number
 Step 2: Specify Sensor Ports
 Step 3: Specify Restraint Option (or leave blank)

CWBT500-6 125 PSI Rating with Restraints

CWBT MODELS: CHILLED WATER BUFFER TANKS, ASME

J

TECHNICAL DATA



CWBT120 THROUGH
CWBT1040

Base Model Number	Volume (Gal)	A Width (In)	B Height (In)	Connection Size (In)	Shipping Weight (Lbs)	
					125 PSI	150 PSI
CWBT120-3	120	33	56	3	294	323
CWBT120-4	120	33	56	4	315	347
CWBT120-6	120	33	56	6	333	366
CWBT200-3	200	39	63	3	527	580
CWBT200-4	200	39	63	4	547	602
CWBT200-6	200	39	63	6	566	623
CWBT300-4	300	45	80	4	753	828
CWBT300-6	300	45	80	6	772	849
CWBT300-8	300	45	80	8	801	881
CWBT500-6	500	51	99	6	1,366	1,503
CWBT500-8	500	51	99	8	1,395	1,535
CWBT500-10	500	51	99	10	1,490	1,639
CWBT850-6	850	64	115	6	2,707	2,978
CWBT850-8	850	64	115	8	2,736	3,010
CWBT850-10	850	64	115	10	2,771	3,048
CWBT1040-8	1040	70	108	8	3,136	3,450
CWBT1040-10	1040	70	108	10	3,171	3,488
CWBT1040-12	1040	70	108	12	3,283	3,611

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)	
	125 PSI	150 PSI
CWBT120-3	394402 / \$7,173	394448 / \$8,594
CWBT120-4	394403 / \$7,532	394439 / \$9,046
CWBT120-6	411257 / \$8,209	517-49 / \$9,843
CWBT200-3	394405 / \$9,391	394457 / \$11,263
CWBT200-4	394406 / \$9,869	407429 / \$11,874
CWBT200-6	394407 / \$10,812	400949 / \$12,991
CWBT300-4	394408 / \$11,808	412541 / \$14,179
CWBT300-6	394409 / \$12,392	444273 / \$14,876
CWBT300-8	438419 / \$13,582	394447 / \$16,304
CWBT500-6	394411 / \$22,813	394454 / \$27,396
CWBT500-8	394422 / \$23,942	436210 / \$28,724
CWBT500-10	517-12 / \$26,267	\$31,514
CWBT850-6	394433 / \$34,003	394445 / \$40,844
CWBT850-8	394434 / \$35,764	445294 / \$42,969
CWBT850-10	394435 / \$39,150	445294 / \$46,988
CWBT1040-8	394436 / \$45,194	426328 / \$54,292
CWBT1040-10	447850 / \$47,419	\$56,915
CWBT1040-12	440763 / \$51,969	\$62,428

Additional Options:	Add to Base Model List Price
Seismic Restraints (R):	\$356
Sensor Ports (SP):	\$506
Grooved Pipe Connectors (G):	Consult factory for pricing.

Standard Leadtime:	CWBT120-3 through CWBT300-8: 20 Days; CWBT500-6 through CWBT1040-12: 40 Days; Add 10 days to Standard Leadtime for Grooved Pipe Connectors (G).
Connection:	125 and 150 PSI: 150# flanges.
Warranty:	3-Year Limited ★

APPLICATIONS & ORDERING

- For use in non-potable closed heating systems.
- Available with 2" to 4" connections.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 450° F.

How to Order: Specify Model & Options

HWBT120-2-125SPR


Step 1: Select Base Model Number
Step 2: Specify Sensor Ports
Step 3: Specify Restraint Option (or leave blank)

HWBT120-2 125 PSI Rating with Sensor Ports and Restraints


HWBT MODELS: HOT WATER BUFFER TANKS, ASME

J

TECHNICAL DATA



HWBT120-2 THROUGH
HWBT300-3



HWBT120-2/2 THROUGH
HWBT300-4/4

Base Model Number	Volume (Gal)	A Width (In)	B Height (In)	Primary Connection Size (In)	Secondary Connection Size (In)	Shipping Weight (Lbs)	
						125 PSI	150 PSI
HWBT120-2	120	33	56	2	2	254	279
HWBT120-3	120	33	56	3	3	268	295
HWBT200-2	200	39	63	2	2	475	523
HWBT200-3	200	39	63	3	3	490	539
HWBT300-2	300	45	80	2	2	668	735
HWBT300-3	300	45	80	3	3	683	751
HWBT120-2/2	120	33	56	2	2	267	294
HWBT120-2/3	120	33	56	2	3	282	310
HWBT120-3/3	120	33	56	3	3	297	327
HWBT120-4/4	120	33	56	4	4	338	372
HWBT200-2/2	200	39	63	2	2	489	538
HWBT200-2/3	200	39	63	2	3	503	553
HWBT200-3/3	200	39	63	3	3	518	570
HWBT200-4/4	200	39	63	4	4	560	617
HWBT300-2/2	300	45	80	2	2	682	750
HWBT300-2/3	300	45	80	2	3	696	766
HWBT300-3/3	300	45	80	3	3	711	782
HWBT300-4/4	300	45	80	4	4	753	828

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)	
	125 PSI	150 PSI
HWBT120-2	394575 / \$6,041	419766 / \$7,252
HWBT120-3	394576 / \$6,425	430474 / \$7,718
HWBT200-2	394583 / \$8,103	\$9,736
HWBT200-3	394584 / \$8,395	394591 / \$10,081
HWBT300-2	527-301 / \$10,786	\$12,951
HWBT300-3	425223 / \$11,171	\$13,416
HWBT120-2/2	394577 / \$7,996	423870 / \$9,590
HWBT120-2/3	394578 / \$8,329	\$10,001
HWBT120-3/3	394579 / \$8,673	\$10,400
HWBT120-4/4	394580 / \$9,018	446766 / \$10,798
HWBT200-2/2	394585 / \$9,975	413981 / \$11,968
HWBT200-2/3	527-204 / \$10,307	\$12,366
HWBT200-3/3	394587 / \$10,652	394590 / \$12,777
HWBT200-4/4	394588 / \$10,971	422622 / \$13,176
HWBT300-2/2	527-303 / \$12,751	\$15,275
HWBT300-2/3	413773 / \$13,070	\$15,707
HWBT300-3/3	413990 / \$13,416	440349 / \$16,072
HWBT300-4/4	394600 / \$13,880	416831 / \$16,637

Additional Options:	Add to Base Model List Price
Seismic Restraints (R):	\$356
Sensor Ports (SP):	\$506
Grooved Pipe Connectors (G):	Consult factory for pricing.

Standard Leadtime:	All Models 10 days. Add 10 days to Standard Leadtime for Grooved Pipe Connectors (G).
Connection:	125 and 150 PSI: 150# flanges.
Warranty:	3-Year Limited ★

APPLICATIONS & ORDERING

- For use in potable hot water systems.
- Antimicrobial/ASHRAE 188 Anti-Legionella Liner.
- Fixed diaphragm construction.
- Deep Drawn models are lighter, stronger and more compact than traditional head and shell construction.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 200° F.
- Patented Turbulator.

How to Order: Specify Model & Options

ST-80VC-150SGR

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

ST-80VC 150 PSI Rating with Sight Glass & Restraints

ST MODELS: DEEP DRAWN, DIAPHRAGM TYPE, ASME


J

TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A-Diameter (In)	B-Height (In)	Shipping Weight (Lbs)			
					150 PSI	175 PSI	250 PSI	300 PSI
ST-5C-DD	2.0	0.9	8	14	10	12	NA	NA
ST-12C-DD	6.4	3.2	12	18	26	28	NA	NA
ST-20VC-DD	8.6	3.2	12	22	36	38	NA	NA
ST-30VC-DD	16.6	11.3	15	25	48	NA	NA	NA
ST-42VC-DD	23.2	11.3	15	33	68	NA	NA	NA

PRICING: DEEP DRAWN, DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)			
	150 PSI	175 PSI	250 PSI	300 PSI
ST-5C-DD	390414 / \$2,630	390413 / \$2,892	NA	NA
ST-12C-DD	390602 / \$3,436	390601 / \$3,776	NA	NA
ST-20VC-DD	390603 / \$3,571	401796 / \$3,928	NA	NA
ST-30VC-DD	401681 / \$4,032	NA	NA	NA
ST-42VC-DD	401800 / \$4,306	NA	NA	NA



ST MODELS: HEAD & SHELL, DIAPHRAGM TYPE, ASME

J

TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A-Diameter (In)	B-Height (In)	Shipping Weight (Lbs)			
					150 PSI	175 PSI	250 PSI	300 PSI
ST-5C	2.1	0.9	10	10	NA	NA	25	30
ST-12C	6.4	3.2	12	14	NA	NA	42	50
ST-20VC	8.0	3.2	12	19	NA	NA	50	62
ST-30VC	14.0	9.0	16	19	NA	64	96	108
ST-42VC	18.0	11.0	16	24	NA	75	101	112
ST-60VC	25.0	11.0	16	32	85	113	125	139
ST-70VC	34.0	11.0	16	45	99	122	136	151
ST-80VC	53.0	35.0	24	37	224	296	305	340
ST-120VC	68.0	35.0	24	44	266	340	375	400
ST-180VC	77.0	35.0	24	49	285	360	380	420
ST-210VC	90.0	35.0	24	57	319	380	405	440

PRICING: HEAD & SHELL, DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)			
	150 PSI	175 PSI	250 PSI	300 PSI
ST-5C	NA	NA	390525 / \$3,335	390516 / \$3,670
ST-12C	NA	NA	390651 / \$4,358	390652 / \$4,794
ST-20VC	NA	NA	390779 / \$4,532	390784 / \$4,984
ST-30VC	NA	391274 / \$4,650	390847 / \$5,114	390852 / \$5,624
ST-42VC	NA	391275 / \$4,968	390960 / \$5,464	\$6,011
ST-60VC	435465 / \$5,243	391255 / \$5,769	403070 / \$6,345	435598 / \$6,987
ST-70VC	440269 / \$5,416	391271 / \$5,958	391273 / \$6,552	401860 / \$7,199
ST-80VC	443364 / \$7,730	391355 / \$8,514	391337 / \$9,364	391347 / \$10,320
ST-120VC	391331 / \$8,115	441201 / \$8,952	391357 / \$9,829	391348 / \$10,812
ST-180VC	391441 / \$8,461	391457 / \$9,324	391459 / \$10,254	441502 / \$11,291
ST-210VC	391442 / \$8,886	391458 / \$9,789	391460 / \$10,759	401266 / \$11,835

Additional Options: Add to Base Model List Price
Sight Glass (SG): \$506
Seismic Restraints (R): \$356

Standard Leadtime: ST-5C-DD, ST-12C-DD and ST-20VC-DD 150 PSI: Up to 5 units – 5 Days; Over 5 units – 10 Days.
 All other ST models 150 PSI: 10 Days, 175 PSI: 20 Days, 250 PSI: 30 Days, 300 PSI: 40 Days
Connection: Stainless Steel: DD ST-5C, ST-12C, ST-20VC, ST-30VC and ST-42VC: 3/4" NPTM
 Non-DD ST-5C, ST-12C, ST-20VC, ST-30VC and ST-42VC: 3/4" NPTF
 ST-60VC and ST-70VC: 3/4" NPTF, ST-80VC through ST-210VC: 1 1/4" NPTF
Factory Precharge: All models: 55 PSI
Warranty: 3-Year Limited ★

www.amtrol.com

Effective June 2, 2025

APPLICATIONS & ORDERING

- For use in potable hot water systems.
- Replaceable bladder construction.
- Maximum Operating Temperature: 240° F.

How to Order: Specify Model & Options

ST-448C-125SGR


- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

ST-448C 125 PSI Rating with Sight Glass & Restraints

ST-C MODELS: FULL ACCEPTANCE BLADDER, ASME

J

TECHNICAL DATA



ST-447C THROUGH ST-457C

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
ST-447C	53	53	24	45	236	262	290	370	425
ST-448C	80	80	24	59	274	340	430	492	540
ST-449C	106	106	24	73	320	360	450	510	560
ST-450C	132	132	24	87	354	400	460	570	632
ST-451C	158	158	30	73	494	587	680	815	895
ST-452C	211	211	30	91	593	625	699	1,005	1,107
ST-453C	264	264	36	86	667	760	845	1,100	1,205
ST-454C	317	317	36	98	762	850	960	1,265	1,400
ST-455C	370	370	36	110	842	935	1,065	1,350	1,490
ST-456C	422	422	48	82	1,152	1,423	1,650	1,660	1,830
ST-457C	528	528	48	97	1,335	1,505	1,875	2,230	2,455

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
ST-447C	392172 / \$10,454	392195 / \$11,503	417979 / \$13,229	392199 / \$15,208	\$17,500
ST-448C	392173 / \$12,140	392196 / \$13,349	392246 / \$14,677	401268 / \$16,205	\$17,799
ST-449C	392174 / \$14,146	392197 / \$15,575	392247 / \$17,135	392185 / \$18,861	183-127 / \$20,688
ST-450C	392180 / \$16,139	392198 / \$17,766	417675 / \$19,526	392138 / \$21,452	392139 / \$23,577
ST-451C	392307 / \$17,932	392324 / \$19,758	413774 / \$21,717	409433 / \$23,876	392333 / \$26,233
ST-452C	392360 / \$19,724	392373 / \$21,685	425072 / \$23,876	392362 / \$26,201	\$28,857
ST-453C	392418 / \$23,245	392432 / \$25,502	403073 / \$28,093	\$30,882	\$33,937
ST-454C	422691 / \$23,909	392036 / \$26,267	433163 / \$28,956	413074 / \$31,812	\$34,967
ST-455C	392054 / \$25,935	392060 / \$28,491	\$31,380	\$34,535	\$37,922
ST-456C	408015 / \$34,037	392502 / \$37,523	\$41,276	412377 / \$45,426	\$49,876
ST-457C	392547 / \$36,394	390312 / \$40,081	\$45,792	423762 / \$48,515	447819 / \$53,297

Additional Options:	Add to Base Model List Price
Sight Glass (SG):	\$506
Seismic Restraints (R):	\$356
Stainless Steel Elbow:	2" \$1,008; 3" \$2,056; 4" \$2,989

Standard Leadtime:	125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days
Connection (NPTF):	Bronze: ST-447C through ST-452C: 2", ST-453C through ST-457C: 3"
Factory Precharge:	All models: 25 PSI
Warranty:	3-Year Limited ★



APPLICATIONS & ORDERING

- For use in potable hot water systems.
- Replaceable diaphragm construction.
- Maximum Operating Temperature: 240° F.

How to Order: Specify Model & Options

ST-100CL-150SGR


- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

ST-100CL 150 PSI Rating with Sight Glass & Restraints

ST-CL MODELS: PARTIAL ACCEPTANCE BLADDER, ASME

J

TECHNICAL DATA



ST-35CL THROUGH ST-600CL

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)
ST-35CL	10	10	10	37	76
ST-50CL	13	11	12	37	78
ST-85CL	22	11	16	35	95
ST-100CL	26	11	16	39	102
ST-130CL	34	27	20	35	134
ST-165CL	44	27	20	40	153
ST-200CL	53	27	24	41	205
ST-300CL	80	27	24	56	254
ST-400CL	106	53	24	69	308
ST-500CL	132	53	24	83	352
ST-600CL	158	53	30	67	442

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD) 150 PSI
ST-35CL	391656 / \$7,133
ST-50CL	391686 / \$7,226
ST-85CL	391716 / \$7,412
ST-100CL	391733 / \$7,492
ST-130CL	391747 / \$7,876
ST-165CL	391761 / \$8,155
ST-200CL	392698 / \$8,421
ST-300CL	392753 / \$8,727
ST-400CL	392779 / \$10,108
ST-500CL	392805 / \$10,494
ST-600CL	391804 / \$12,885

Additional Options:	Add to Base Model List Price
Sight Glass (SG):	\$506
Seismic Restraints (R):	\$356



Standard Leadtime:	All models 10 Days
Connection (NPTF):	Stainless Steel: All Models: 1"
Factory Precharge:	All models: 25 PSI
Warranty:	3-Year Limited ★

APPLICATIONS & ORDERING

- For use in water well and booster pump applications.
- Antimicrobial/ASHRAE 188 Anti-Legionella Liner.
- Fixed diaphragm construction.
- Deep Drawn models are lighter, stronger and more compact than traditional head and shell construction.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 200° F.
- Patented Turbulator.


How to Order: Specify Model & Options

WX-403C-125SGR

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

WX-403C (ASME) 125 PSI Rating with Sight Glass & Restraints

WX-C MODELS: DEEP DRAWN, DIAPHRAGM TYPE, ASME




TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)		
					125 PSI	150 PSI	175 PSI
WX-101C-DD	2.0	0.9	8	14	10	10	12
WX-102C-DD	6.4	3.2	12	18	26	26	28
WX-103C-DD	8.6	3.2	12	22	36	36	38

PRICING: DEEP DRAWN, DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)		
	125 PSI	150 PSI	175 PSI
WX-101C-DD	423666 / \$2,511	439437 / \$2,723	436209 / \$2,922
WX-102C-DD	423667 / \$3,321	436440 / \$3,467	439873 / \$3,891
WX-103C-DD	423668 / \$3,453	443431 / \$3,599	443362 / \$4,011

WX-C MODELS: HEAD & SHELL, DIAPHRAGM TYPE, ASME



TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
WX-401C	18	11	16	31	77	96	110	126	133
WX-402C	25	11	16	40	93	113	125	145	160
WX-403C	34	11	16	49	115	120	145	183	200
WX-404C	68	34	24	48	227	232	313	411	432
WX-405C	90	34	24	59	252	255	384	433	460
WX-406C	110	34	24	70	286	335	402	475	500
WX-407C	132	46	30	57	436	450	510	570	625

PRICING: HEAD & SHELL, DIAPHRAGM TYPE, ASME

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
WX-401C	429390 / \$4,082	429391 / \$4,493	390950 / \$4,942	390997 / \$5,437	390998 / \$5,980
WX-402C	429392 / \$4,685	429394 / \$5,152	391122 / \$5,668	391126 / \$6,234	391081 / \$6,853
WX-403C	429397 / \$5,102	429422 / \$5,615	391245 / \$6,176	391246 / \$6,801	391768 / \$7,464
WX-404C	435433 / \$7,572	391344 / \$8,315	391320 / \$9,165	391319 / \$10,095	391770 / \$11,091
WX-405C	440381 / \$7,916	391492 / \$8,727	391511 / \$9,577	391510 / \$10,546	391772 / \$11,609
WX-406C	440380 / \$8,301	391493 / \$9,152	391489 / \$10,081	391497 / \$11,064	149-169 / \$12,194
WX-407C	391485 / \$9,378	391494 / \$10,347	391496 / \$11,369	391490 / \$12,512	391507 / \$13,748

Additional Options:	Add to Base Model List Price
Sight Glass (SG):	\$506
Seismic Restraints (R):	\$356

Standard Leadtime:	125 & 150 PSI: 10 days, 175 PSI: 20 days, 250 & 300 PSI: 30 days,
Connection:	Stainless Steel: WX-101C-DD through WX-103C-DD: 3/4" NPTM, Malleable Iron: WX-401C through WX-403C: 1", WX-404C through WX-407C: 1-1/4" NPTF
Factory Precharge:	All models: 25 PSI
Warranty:	3-Year Limited ★




APPLICATIONS & ORDERING

- For use in water well and booster pump applications.
- Replaceable bladder design.
- Maximum Operating Temperature: 240° F.

How to Order: Specify Model & Options

WX-448C-175SGR

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Restraint Option (or leave blank)




WX-448C (ASME) 175 PSI Rating with Sight Glass & Restraints

WX-C MODELS: FULL ACCEPTANCE BLADDER, ASME

J

TECHNICAL DATA



Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
WX-447C	53	53	24	45	263	289	368	420	462
WX-448C	80	80	24	59	315	338	430	492	540
WX-449C	106	106	24	73	319	350	440	507	557
WX-450C	132	132	24	87	351	392	454	570	627
WX-451C	158	158	30	73	493	587	680	813	894
WX-452C	211	211	30	91	602	627	694	1,007	1,107
WX-453C	264	264	36	86	676	752	846	1,095	1,204
WX-454C	317	317	36	98	762	840	959	1,264	1,390
WX-455C	370	370	36	110	843	930	1,060	1,350	1,485
WX-456C	422	422	48	82	1,154	1,418	1,655	1,700	1,826
WX-457C	528	528	48	97	1,331	1,500	1,870	2,365	2,450
WX-458C	660	660	60	84	1,450	1,740	2,030	2,320	2,750
WX-459C	792	792	60	99	2,169	2,385	3,036	3,470	3,690
WX-460C	925	925	60	107	2,300	2,530	3,220	3,680	3,910
WX-461C	1,056	1,056	60	121	2,638	2,900	3,695	4,220	4,485
WX-462C	1,320	1,320	72	108	3,500	3,850	4,900	5,600	5,950
WX-463C	1,980	1,980	72	140	4,100	4,510	5,740	6,560	6,970

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
WX-447C	392152 / \$11,529	392191 / \$12,671	392165 / \$13,947	392156 / \$15,375	392126 / \$16,836
WX-448C	392153 / \$11,595	392192 / \$12,751	392170 / \$14,013	392157 / \$15,441	392120 / \$16,969
WX-449C	392151 / \$12,060	392193 / \$13,283	407471 / \$14,578	392158 / \$16,039	410876 / \$17,666
WX-450C	392154 / \$12,552	392194 / \$13,814	392101 / \$15,142	392159 / \$16,703	392181 / \$18,363
WX-451C	392306 / \$15,607	392325 / \$17,235	392309 / \$18,961	392310 / \$20,888	392329 / \$22,912
WX-452C	392359 / \$17,267	392374 / \$19,028	392363 / \$20,920	392364 / \$23,013	438324 / \$25,303
WX-453C	392417 / \$21,086	392433 / \$23,145	392420 / \$25,436	402640 / \$28,060	428868 / \$30,849
WX-454C	392029 / \$22,448	392037 / \$24,639	392032 / \$27,064	392033 / \$29,819	\$32,842
WX-455C	392053 / \$23,810	392061 / \$26,133	419862 / \$28,756	182-42 / \$31,580	444289 / \$34,768
WX-456C	392494 / \$30,185	392501 / \$33,240	435432 / \$36,527	392498 / \$40,213	438164 / \$44,231
WX-457C	392546 / \$32,908	392558 / \$36,195	419557 / \$39,848	435449 / \$43,766	436124 / \$48,216
WX-458C	392561 / \$37,556	392570 / \$41,375	447449 / \$44,895	\$50,008	392541 / \$59,572
WX-459C	392562 / \$43,966	392588 / \$48,316	\$53,130	450805 / \$58,443	*
WX-460C	392563 / \$53,330	442309 / \$58,676	\$64,587	446295 / \$71,062	*
WX-461C	392564 / \$59,174	429344 / \$65,052	\$71,526	\$78,766	*
WX-462C	392565 / \$88,793	\$97,560	\$107,456	*	*
WX-463C	392587 / \$156,601	436570 / \$ 172,141	*	*	*

* Consult Amtrol Customer Service for List Price and Lead Times.

WX 447C THROUGH WX-463C




Standard Leadtime:	WX-447C through WX-457C, 125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 PSI: 40 Days, 300 PSI: 50 Days. WX-458C through WX-463C, All pressures: 50 Days.
Connection (NPTF):	Malleable Iron: WX-447C through WX-452C: 2", WX-453C through WX-457C: 3", WX-458C through WX-463C: 4"
Factory Precharge:	All models: 25 PSI
Warranty:	3-Year Limited ★

Additional Options:	Add to Base Model List Price
Sight Glass (SG):	\$506
Seismic Restraints (R):	\$356
Stainless Steel Elbow:	2" \$1,008; 3" \$2,056; 4" \$2,989

TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)
WX-35CL	10	10	10	37	69
WX-50CL	13	11	12	37	76
WX-85CL	22	11	16	35	92
WX-100CL	26	11	16	39	98
WX-130CL	34	27	20	35	136
WX-165CL	44	27	20	40	146
WX-200CL	53	27	24	41	198
WX-300CL	80	27	24	56	236
WX-400CL	106	53	24	69	282
WX-500CL	132	53	24	83	316
WX-600CL	158	53	30	67	450



WX-35CL THROUGH WX-600CL

PRICING: ASME MODELS


Base Model Number	Part No. / List Price (USD) 125 PSI
WX-35CL	407286 / \$7,159
WX-50CL	408763 / \$7,266
WX-85CL	167-7 / \$7,452
WX-100CL	418391 / \$7,518
WX-130CL	408539 / \$7,837
WX-165CL	391763 / \$7,930
WX-200CL	392700 / \$8,209
WX-300CL	392755 / \$8,581
WX-400CL	392781 / \$10,041
WX-500CL	392807 / \$10,374
WX-600CL	391806 / \$13,150

Additional Options:	Add to Base Model List Price
Sight Glass (SG):	\$506
Seismic Restraints (R):	\$356


Standard Leadtime:	All models 10 Days
Connection (NPTF):	Malleable Iron: WX-35CL through WX-100CL: 1-1/4", WX-130CL through WX-300CL: 1-1/2", WX-400CL through WX-600CL: 2"
Factory Precharge:	All models: 25 PSI
Warranty:	3-Year Limited ★




FPT MODELS: FIRE-X-TROL® SPRINKLER SYSTEM EXPANSION TANKS, 175 PSI, AMSE

F


FPT-5C THROUGH FPT-12C



FPT-20VC THROUGH FPT-70VC



FPT-80VC THROUGH FPT-210VC

TECHNICAL DATA

Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Sys. Conn. (In) St. Steel NPTF	Shipping Weight (Lbs)
FPT-5C	2.1	0.9	10	10	3/4	21
FPT-12C	6.4	3.2	12	16	3/4	36
FPT-20VC	8.0	3.2	12	20	3/4	52
FPT-30VC	14.0	9.0	16	19	3/4	97
FPT-42VC	17.5	11.0	16	24	3/4	116
FPT-60VC	25.0	11.0	16	33	3/4	154
FPT-70VC	34.0	11.0	16	42	3/4	197
FPT-80VC	53.0	35.0	24	36	1 1/4	251
FPT-120VC	66.0	35.0	24	44	1 1/4	281
FPT-180VC	77.0	35.0	24	49	1 1/4	353
FPT-210VC	90.0	35.0	24	56	1 1/4	382

PRICING: ASME MODELS

Model Part No. / List Price (USD)
Number 175 PSI

FPT-5C	390522 / \$3,042
FPT-12C	390660 / \$3,930
FPT-20VC	390781 / \$5,259
FPT-30VC	390855 / \$6,035
FPT-42VC	390965 / \$7,744
FPT-60VC	391259 / \$10,786
FPT-70VC	391260 / \$14,677
FPT-80VC	391345 / \$15,840
FPT-120VC	391346 / \$16,736
FPT-180VC	391450 / \$17,633
FPT-210VC	391451 / \$21,086

Seismic Restraints (R); Sight Glass (SG) Available on Models FPT-20VC through FPT-210VC

Operating Temperature Range: -20° F to 200° F

SPT MODELS: SURGE-TROL® SPRINKLER SYSTEM SURGE SUPPRESSORS, 275 PSI, ASME

F

TECHNICAL DATA

Model Number	Volume (Gal)	A Diameter (In)	B Height (In)	Sys. Conn. (In)	Shipping Weight (Lbs)
SPT-1	10	16	31	2	200
SPT-3	25	16	49	3	273
SPT-7	53	24	49	4	390
SPT-11	80	24	63	4	505
SPT-14	106	24	77	4	618
SPT-18	132	24	91	4	731
SPT-21	158	30	75	4	950
SPT-28	211	30	93	4	1,125
SPT-35	264	36	85	6	1,520
SPT-42	317	36	97	6	1,720
SPT-50	370	36	110	6	1,900
SPT-56	422	48	86	8	2,300
SPT-70	528	48	100	8	2,700

PRICING: ASME MODELS

Model Part No. / List Price (USD)
Number 275 PSI


SPT-1	392871 / \$23,443
SPT-3	392872 / \$32,741
SPT-7	392844 / \$35,531
SPT-11	392849 / \$35,797
SPT-14	392857 / \$36,693
SPT-18	392862 / \$37,125
SPT-21	392864 / \$50,241
SPT-28	392865 / \$55,587

Model Part No. / List Price (USD)
Number 275 PSI


SPT-35	392866 / \$71,792
SPT-42	392867 / \$75,976
SPT-50	392868 / \$80,226
SPT-56	407356 / \$92,845
SPT-70	392870 / \$97,427

Seismic Restraints (R) Standard; Sight Glass (SG) Available on Models SPT-1 through SPT-28

Maximum Operating Temperature: 240° F



SPT-1 THROUGH SPT-70



D-7 THROUGH D-70

For Water Hammer Reduction in Potable Cold or Hot Water Systems.



TECHNICAL DATA

Model Number	Volume (Gal)	A Diameter (In)	B Height (In)	Sys. Conn. (In)	Shipping Weight (Lbs)
D-7	53	24	49	4	390
D-11	80	24	63	4	505
D-14	106	24	77	4	618
D-18	132	24	91	4	731
D-21	158	30	75	4	950
D-28	211	30	93	4	1,125
D-35	264	36	85	6	1,520
D-42	317	36	97	6	1,720
D-50	370	36	110	6	1,900
D-56	422	48	86	8	2,300
D-70	528	48	100	8	2,700

PRICING: ASME MODELS

Model Number	Part No. / List Price (USD) 250 PSI
D-7	392166 / \$24,506
D-11	392164 / \$24,839
D-14	392168 / \$25,536
D-18	392167 / \$26,201
D-21	184-52 / \$39,749
D-28	417010 / \$44,231
D-35	409864 / \$61,864
D-42	392429 / \$66,280
D-50	409072 / \$70,729
D-56	187-53 / \$83,945
D-70	400947 / \$88,461

Seismic Restraints (R) Standard & Sight Glass (SG) Optional
Maximum Operating Temperature: 200° F

Additional Options: Add to Base Model List Price
Sight Glass (SG): \$506

Standard Leadtime: FPT Models: 30 Days
SPT-1 through SPT-28: 40 Days
SPT-35 through SPT-70: 60 Days
D Models: 60 Days
Connection: 250 PSI: 150# Flange; 275 PSI: 300# Flange
Warranty: 3-Year Limited ★

EXTROL® REPLACEMENT BLADDERS

Model Number	Part No.	Application	Shipping Weight (Lbs)	Standard Lead Time	List Price (USD)
191-3	392694	200-L	15	10 days	\$3,585
192-3	392750	300-L	20	10 days	\$3,785
193-3	392775	400-L	25	10 days	\$3,973
194-3	392803	500-L	30	10 days	\$4,104
174-16	391796	600-L	33	10 days	\$4,247
175-15	391827	800-L	35	10 days	\$4,386
176-15	391853	1000-L	37	10 days	\$5,391
177-15	391872	1200-L	43	10 days	\$5,589
178-15	391887	1400-L	52	10 days	\$6,232
179-15	391912	1600-L	55	10 days	\$6,533
180-15	391967	2000-L	63	10 days	\$6,655
180-35	391978	2500-L	71	10 days	\$7,133
180-36	391979	3000-L	82	10 days	\$8,341
180-37	391980	3500-L	102	10 days	\$11,369
180-38	391981	4000-L	109	10 days	\$14,013
180-48	391990	5000-L	128	10 days	\$16,536
180-90	392013	7500-L	155	40 days	\$18,430
180-91	417843	10000-L	225	40 days	\$25,204
180-92	392015	15000-L	310	40 days	\$41,940
10-0001	389674	35-100LBC	13	10 days	\$1,542
10-0002	389675	130-300LBC	19	10 days	\$2,087
10-0003	389676	400-600LBC	33	10 days	\$2,954

THERM-X-TROL® & WELL-X-TROL® REPLACEMENT BLADDERS

Model Number	Part No.	Application	Shipping Weight (Lbs)	Standard Lead Time	List Price (USD)
183-10	392100	WX & ST-447	16	10 days	\$4,112
183-11	392115	WX & ST 448	21	10 days	\$4,240
183-12	392124	WX & ST-449	26	10 days	\$4,330
183-13	392134	WX & ST-450	31	10 days	\$4,347
184-27	392304	WX & ST-451/421	26	10 days	\$4,514
185-22	392357	WX & ST-452/422	32	10 days	\$4,663
186-23	392415	WX & ST-453/423	37	10 days	\$5,915
181-21	392027	WX & ST-454/424	42	10 days	\$5,984
182-21	392051	WX & ST-455	48	10 days	\$6,721
187-21	392492	WX & ST-456/426	52	10 days	\$6,907
188-21	392544	WX & ST-457/427	62	10 days	\$7,146
188-80	432137	WX458	71	40 days	\$9,072
188-81	392572	WX459	82	40 days	\$9,537
188-82	392573	WX460	102	40 days	\$12,831
188-83	392574	WX461	109	40 days	\$13,781
188-84	410451	WX462	128	40 days	\$15,807
188-85		WX463	150	40 days	\$22,016
10-0004	424893	ST35-100CL	13	10 days	\$4,789
10-0005	421552	ST130-300CL	19	10 days	\$6,325
10-0006	389679	ST400-600CL	33	10 days	\$7,532
10-0007	432667	WX35-100CL	13	10 days	\$4,789
10-0008		WX130-300CL	19	10 days	\$6,325
10-0009	389682	WX400-600CL	33	10 days	\$7,532



DIATROL® & SURGE-TROL® REPLACEMENT BLADDERS

Model Number	Part No.	Application	Shipping Weight (Lbs)	Standard Leadtime	List Price (USD)
217-0039		SPT-1	10	10 days	\$3,448
217-0040	432124	SPT-3	12	10 days	\$3,560
183-77	392206	D & SPT-7	15	10 days	\$3,800
183-72	392201	D & SPT-11	20	10 days	\$4,011
183-73	392202	D & SPT-14	25	10 days	\$4,213
183-74	392203	D & SPT-18	30	10 days	\$4,347
183-75	422121	D & SPT-21	33	40 days	\$4,514
183-76	420452	D & SPT-28	35	40 days	\$4,663
217-0042	445986	D & SPT-35	37	40 days	\$5,915
181-57		D & SPT-42	43	40 days	\$5,984
181-58	438411	D & SPT-50	52	40 days	\$6,721
187-59		D & SPT-56	55	40 days	\$6,907
187-60	392504	D & SPT-70	63	40 days	\$7,452


Warranty:

1-Year Limited



PRODUCT	MODELS	DURATION (from date of purchase)
WATER SYSTEMS		
Well-X-Trol® Residential Well Tanks	WX	Seven (7) Year Limited Warranty
Well-X1® Constant Pressure System	WX1	Seven (7) Year Limited Warranty (Tank) Two (2) Year Limited Warranty (Control)
CH, WF & PL Well Tanks	All	Five (5) Year Limited Warranty
Guardian CP® Digital Control	DC2	Two (2) Year Limited Warranty
Reverse Osmosis (RO) Tanks	RO	Five (5) Year Limited Warranty
Amtrol Pressuriser®	RP	Two (2) Year Limited Warranty
PLUMBING & HEATING		
Extrol® Expansion Tanks	EX-PRO & EX SX	Seven (7) Year Limited Warranty* One (1) Year Limited Warranty
Fill-Trol® Expansion Tanks	FT	Seven (7) Year Limited Warranty
Thermal Expansion Tanks	ST-1 through ST-12 ST-25V through ST-210V T	Seven (7) Year Limited Warranty* One (1) Year Limited Warranty One (1) Year Limited Warranty
Diatrol®	All	Five (5) Year Limited Warranty (Residential)
HOT WATER MAKERS®		
BoilerMate® Hot Water Makers	CH	Six (6) Year Limited Warranty on Heat Exchanger and Tank Assembly Only. Limited Lifetime Upgrade Option Available. See Literature for Upgrade Information.
HYDROMAX® Hot Water Makers	HM	Seven (7) Year Limited Warranty on Heat Exchanger and Tank Assembly Only. Limited Lifetime Upgrade Option Available. See Literature for Upgrade Information.
IndireX™ Hot Water Makers	IDX	Ten (10) Year Limited Warranty on Heat Exchanger and Tank Assembly Only. Limited Lifetime Upgrade Option Available. See Literature for Upgrade Information.
Ener-G-Net™ Control		Two (2) Year Limited Warranty
Digital Control Replacement		Two (2) Year Limited Warranty
Premier™ Hot Water Makers	WH-7, WHS, DC & S	Five (5) Year Limited Warranty in Commercial Applications. Ten (10) Year Limited Warranty in Residential Applications on Heat Exchanger and Tank Assembly Only.
COMMERCIAL PRODUCTS		
All Commercial Products		Three (3) Year Limited Warranty Excludes Replacement Bladders, In-Line Air Purgers, and High Capacity Air Vents and Replacement Kit
ALL OTHER		
All Other Products, Components and Parts	If not specified above including Hot Water Maker components and parts other than the Heat Exchanger and Tank Assembly.	One (1) Year Limited Warranty

For detailed warranty information, please visit www.amtrol.com

All dimensions and weights listed are approximate.

*Units manufactured January 1, 2019 or later.



1400 Division Road, West Warwick, RI 02893 USA
T: 800.426.8765 www.amtrol.com